## **Product Datasheet**

### CEACAM5/CD66e Antibody (SPM584) [PE/Atto594] NBP2-34851PEATT594

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-34851PEATT594

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-34851PEATT594



#### NBP2-34851PEATT594

#### CEACAM5/CD66e Antibody (SPM584) [PE/Atto594]

| CEACAM5/CD66e Antibody (SPM584) [PE/Atto594] |  |
|--|--|
| Product Information                          |  |
| Unit Size                                    | 0.1 ml   |
| Concentration                                | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                                      | Store at 4C in the dark. Do not freeze.  |
| Clonality                                    | Monoclonal   |
| Clone  | SPM584   |
| Preservative                                 | 0.05% Sodium Azide   |
| Isotype                                      | IgG2a Kappa  |
| Conjugate                                    | PE/Atto594   |
| Purity                                       | Protein A or G purified  |
| Buffer                                       | PBS  |
| Product Description                          |  |
| Host   | Mouse  |
| Gene ID                                      | 1048   |
| Gene Symbol                                  | CEACAM5  |
| Species                                      | Human  |
| Specificity/Sensitivity                      | This antibody recognizes proteins of 80-200kDa, identified as different members<br>of CEA family. CEA is synthesized during development in the fetal gut and is re-<br>expressed in increased amounts in intestinal carcinomas and several other<br>tumors. This monoclonal antibody does not react with nonspecific cross-reacting<br>antigen (NCA) and with human polymorphonuclear leucocytes. It shows no<br>reaction with a variety of normal tissues and is suitable for staining of<br>formalin/paraffin tissues. CEA is not found in benign glands, stroma, or malignant<br>prostatic cells. Antibody to CEA is useful in detecting early foci of gastric<br>carcinoma and in distinguishing pulmonary adenocarcinomas (60-70% are CEA<br>+) from pleural mesotheliomas (rarely or weakly CEA+). Anti-CEA positivity is<br>seen in adenocarcinomas from the lung, colon, stomach, esophagus, pancreas,<br>gallbladder, urachus, salivary gland, ovary, and endocervix. |
| Immunogen                                    | Human colon carcinoma extract (Uniprot: P06731)  |
| Product Application Details                  |  |
| Applications                                 | Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin   |
| Recommended Dilutions                        | Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/<br>Immunofluorescence, Immunohistochemistry-Paraffin  |
| Application Notes                            | Optimal dilution of this antibody should be experimentally determined. For<br>optimal results using our Tandem dyes, please avoid prolonged exposure to light<br>or extreme temperature fluctuations. These can lead to irreversible degradation<br>or decoupling. When staining intracellular targets, specific attention to the fixation   |

or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at technical@novusbio.com if you have any questions.





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-34851PEATT594

| NBP1-96981PEATT594 | Mouse IgG2a Kappa Isotype Control (M2AK) [PE/Atto594] |
|--------------------|---|
| NBP1-85742PEP      | CEACAM5/CD66e Recombinant Protein Antigen             |
| DKK300             | Kallikrein 3/PSA [HRP]                                |
| AVI10449-050       | CEACAM5/CD66e [Biotin]                                |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-34851PEATT594

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

