Product Datasheet

Recombinant Rat EGF Protein NBP2-35293-100ug

Unit Size: 100 ug

Store at -20 to -70C as supplied. After reconstitution, store at 2 to 8C for 1 month and at -20 to -70C for long term storage. Avoid repeated freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-35293

Updated 1/25/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-35293




NBP2-35293-100ug

Recombinant Rat EGF Protein

Product Information	
Unit Size	100 ug
Concentration	Lyoph
Storage	Store at -20 to -70C as supplied. After reconstitution, store at 2 to 8C for 1 month and at -20 to -70C for long term storage. Avoid repeated freeze-thaw cycles.
Preservative	No Preservative
Reconstitution Instructions	Recommended to centrifuge prior to opening. Reconstitute in sterile distilled water or aqueous buffer containing 0.1% BSA to a concentration of 0.1-1.0mg/mL.
Purity	> 97 % pure by SDS-PAGE and HPLC
Buffer	Lyophilized from a 0.2 um filtered solution in PBS, pH 7.4.
Target Molecular Weight	6.1 kDa

Product Description		
Description	A single non-glycosylated polypeptide chain containing 53 amino acids corresponding to EGF, including 3 intramolecular disulfide-bonds Source : <i>E. coli</i> Uniprot ID : <i>P07522</i> Amino Acid Sequence : <i>NSNTGCPPSY DGYCLNGGVC MYVESVDRYV CNCVIGYIGE RCQHRDLRWW KLR</i>	
Gene ID	1950	
Gene ib	1930	
Gene Symbol	EGF	
Species	Rat	
Details of Functionality	EGF protein is fully biologically active when compared to standard. The ED50 as determined by a cell proliferation assay using murine Balb/c 3T3 cells is less than 0.1 ng/ml, corresponding to a specific activity of > 1.0 x 10^7 IU/mg	
Endotoxin Note	Less than 1 EU/ug of EGF as determined by LAL method.	

Product Application Details	
Applications	SDS-Page, Bioactivity
Recommended Dilutions	SDS-Page, Bioactivity





Publications

Qingjie Wang, Leijun Huo, Jinlong He, Wenshuang Ding. Soluble epoxide hydrolase is involved in the development of atherosclerosis and arterial neointima formation by regulating smooth muscle cell migration. Am J Physiol Heart Circ Physiol 2015-12-01 [PMID: 26453326]

Feifei Liu, Aiguo Xuan, Yan Chen, Jundu Zhang. Combined effect of nerve growth factor and brain-derived neurotrophic factor on neuronal differentiation of neural stem cells and the potential molecular mechanisms. Mol Med Rep 2014-10-01 [PMID: 25051506]

Wang Y, Shen X, Liao W et al. A heteropolysaccharide, L-fuco-D-manno-1,6-a-D-galactan extracted from Grifola frondosa and antiangiogenic activity of its sulfated derivative. Carbohydr Polym 2014-01-30 [PMID: 24299820]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-35293-100ug

NBP2-34952-100ug Recombinant Human EGF Protein

210-TA-005 TNF-alpha [Unconjugated]

236-EG-200 EGF [Unconjugated]

DVE00 VEGF [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Peptides and proteins are guaranteed for 3 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-35293

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

