Product Datasheet

TPT1/TCTP Antibody - BSA Free NBP2-38447

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-38447

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-38447



NBP2-38447


TPT1/TCTP Antibody - BSA Free

Product Information Unit Size	TPT1/TCTP Antibody - BSA Free	
Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 7178 Gene Symbol TPT1 Species Human Immunogen This antibody was developed against a recombinant protein corresponding to amino acids: MINYROLISHDEMFSDIYKIREIADGLCLEVEGKMVSRTEGNIDDSLIGGNASAEG PEGEGTESTVITGVDIVMNHHLQETSFTKEAYKKYIKDYM Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunocytochemistry/ Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 7178 Gene Symbol TPT1 Species Human Immunogen This antibody was developed against a recombinant protein corresponding to amino acids: MIIYRDLISHDEMF-SDIYKIREIADGLCLEVEGKMVSRTEGNIDDSLIGGNASAEG PEGEGTESTVITGVDIVMNHHLQETSFTKEAYKKYIKDYM Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes	Unit Size	0.1 ml
cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 7178 Gene Symbol TPT1 Species Human Immunogen This antibody was developed against a recombinant protein corresponding to amino acids: MIYRPLISHDEMFSDIYKIREIADGLCLEVEGKMVSRTEGNIDDSLIGGNASAEG PEGEGTESTVITGVDIVMNHHLQETSFTKEAYKKYIKDYM Product Application Details Applications Western Blot 0.04-0.4 ug/ml, Immunofistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofistochemistry 1:200 - 1:500, Immunocytochemistry 1:200 - 1:500, Immunocy	Concentration	
Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 7178 Gene Symbol TPT1 Species Human Immunogen This antibody was developed against a recombinant protein corresponding to amino acids: MIYRDLISHDEMFSDIYKIREIADGLCLEVEGKMVSRTEGNIDDSLIGGNASAEG PEGEGTESTVITGVDIVMNHHLQETSFTKEAYKKYIKDYM Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Storage	,
Isotype	Clonality	Polyclonal
Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 7178 Gene Symbol TPT1 Species Human Immunogen This antibody was developed against a recombinant protein corresponding to amino acids: MIIYRDLISHDEMFSDIYKIREIADGLCLEVEGKMVSRTEGNIDDSLIGGNASAEG PEGEGTESTVITGVDIVMNHHLQETSFTKEAYKKYIKDYM Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Preservative	0.02% Sodium Azide
Product Description Host Rabbit Gene ID 7178 Gene Symbol TPT1 Species Human Immunogen This antibody was developed against a recombinant protein corresponding to amino acids: MIIYRDLISHDEMFSDIYKIREIADGLCLEVEGKMVSRTEGNIDDSLIGGNASAEG PEGEGTESTVITGVDIVMNHHLQETSFTKEAYKKYIKDYM Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Isotype	IgG
Product Description Host Rabbit Gene ID 7178 Gene Symbol TPT1 Species Human Immunogen This antibody was developed against a recombinant protein corresponding to amino acids: MIYRDLISHDEMFSDIYKIREIADGLCLEVEGKMVSRTEGNIDDSLIGGNASAEG PEGEGTESTVITGVDIVMNHHLQETSFTKEAYKKYIKDYM Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Purity	Immunogen affinity purified
Host Rabbit Gene ID 7178 Gene Symbol TPT1 Species Human Immunogen This antibody was developed against a recombinant protein corresponding to amino acids: MIJYRDLISHDEMFSDIYKIREIADGLCLEVEGKMVSRTEGNIDDSLIGGNASAEG PEGEGTESTVITGVDIVMNHHLQETSFTKEAYKKYIKDYM Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Buffer	PBS (pH 7.2) and 40% Glycerol
Gene Symbol TPT1 Species Human This antibody was developed against a recombinant protein corresponding to amino acids: MIIYRDLISHDEMFSDIYKIREIADGLCLEVEGKMVSRTEGNIDDSLIGGNASAEG PEGEGTESTVITGVDIVMNHHLQETSFTKEAYKKYIKDYM Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Description	
Gene Symbol TPT1 Species Human This antibody was developed against a recombinant protein corresponding to amino acids: MIIYRDLISHDEMFSDIYKIREIADGLCLEVEGKMVSRTEGNIDDSLIGGNASAEG PEGEGTESTVITGVDIVMNHHLQETSFTKEAYKKYIKDYM Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Host	Rabbit
Species	Gene ID	7178
This antibody was developed against a recombinant protein corresponding to amino acids: MIJYRDLISHDEMFSDIYKIREIADGLCLEVEGKMVSRTEGNIDDSLIGGNASAEG PEGEGTESTVITGVDIVMNHHLQETSFTKEAYKKYIKDYM Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Gene Symbol	TPT1
amino acids: MIIYRDLISHDEMFSDIYKIREIADGLCLEVEGKMVSRTEGNIDDSLIGGNASAEG PEGEGTESTVITGVDIVMNHHLQETSFTKEAYKKYIKDYM Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Species	Human
Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Immunogen	amino acids: MIIYRDLISHDEMFSDIYKIREIADGLCLEVEGKMVSRTEGNIDDSLIGGNASAEG
Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Application Details	
Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Applications	
Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Recommended Dilutions	Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml,
	Application Notes	Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use




Images


Western Blot: TPT1/TCTP Antibody [NBP2-38447] - Lane 1: Marker [kDa] 250, 130, 95, 72, 55, 36, 28, 17, 10. Lane 2: Human cell line RT-4. Lane 3: Human cell line U-251MG. Lane 4: Human Plasma. Lane 5: Human liver tissue. Lane 6: Human tonsil tissue



Immunocytochemistry/Immunofluorescence: TPT1/TCTP Antibody [NBP2-38447] - Immunofluorescent staining of human cell line HEK 293 shows localization to cytosol.



Immunohistochemistry-Paraffin: TPT1/TCTP Antibody [NBP2-38447] - Staining of human urinary bladder shows moderate cytoplasmic positivity in urothelial cells.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-38447

NBP2-38447PEP TPT1/TCTP Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-38447

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

