Product Datasheet

SARM1 Antibody - BSA Free NBP2-41180

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-41180

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-41180



NBP2-41180


SARM1 Antibody - BSA Free

Product Information	SARIVIT ANIIDOGY - BSA Free	
Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 23098 Gene Symbol SARM1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Pig: (88%) Specificity/Sensitivity At least three alternatively spliced transcript variants encoding distinct isoforms have been observed. SARM antibody recognize the longest isoform. Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human SARM. The immunogen is located within amino acids 30 - 80 of SARM. Amino Acid Squence: AGGRGPREVSPGAGTE Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 23098 Gene Symbol SARM1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Pig: (88%) Specificity/Sensitivity At least three alternatively spliced transcript variants encoding distinct isoforms have been observed. SARM antibody recognize the longest isoform. Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human SARM. The immunogen is located within amino acids 30 - 80 of SARM. Amino Acid Squence: AGGRGPREVSPGAGTE Product Application Details Applications Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Unit Size	0.1 mg
cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 23098 Gene Symbol SARM1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Pig: (88%) Specificity/Sensitivity At least three alternatively spliced transcript variants encoding distinct isoforms have been observed. SARM antibody recognize the longest isoform. Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human SARM. The immunogen is located within amino acids 30 - 80 of SARM. Amino Acid Squence: AGGRGPREVSPGAGTE Product Application Details Applications Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Concentration	1 mg/ml
Preservative Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 23098 Gene Symbol SARM1 Species Human, Mouse, Rat Immunogen displays the following percentage of sequence identity for non-tested species: Pig: (88%) Specificity/Sensitivity At least three alternatively spliced transcript variants encoding distinct isoforms have been observed. SARM antibody recognize the longest isoform. Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human SARM. The immunogen is located within amino acids 30 - 80 of SARM. Amino Acid Squence: AGGRGPREVSPGAGTE Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Storage	·
Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 23098 Gene Symbol SARM1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for nontested species: Pig: (88%) Specificity/Sensitivity At least three alternatively spliced transcript variants encoding distinct isoforms have been observed. SARM antibody recognize the longest isoform. Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human SARM. The immunogen is located within amino acids 30 - 80 of SARM. Amino Acid Squence: AGGRGPREVSPGAGTE Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Clonality	Polyclonal
Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 23098 Gene Symbol SARM1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Pig: (88%) Specificity/Sensitivity At least three alternatively spliced transcript variants encoding distinct isoforms have been observed. SARM antibody recognize the longest isoform. Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human SARM. The immunogen is located within amino acids 30 - 80 of SARM. Amino Acid Squence: AGGRGPREVSPGAGTE Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Preservative	0.02% Sodium Azide
Product Description Host Rabbit Gene ID 23098 Gene Symbol SARM1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Pig: (88%) Specificity/Sensitivity At least three alternatively spliced transcript variants encoding distinct isoforms have been observed. SARM antibody recognize the longest isoform. Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human SARM. The immunogen is located within amino acids 30 - 80 of SARM. Amino Acid Squence: AGGRGPREVSPGAGTE Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Isotype	IgG
Product Description Host Rabbit Gene ID 23098 Gene Symbol SARM1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Pig: (88%) Specificity/Sensitivity At least three alternatively spliced transcript variants encoding distinct isoforms have been observed. SARM antibody recognize the longest isoform. Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human SARM. The immunogen is located within amino acids 30 - 80 of SARM. Amino Acid Squence: AGGRGPREVSPGAGTE Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Purity	Peptide affinity purified
Host Rabbit Gene ID 23098 Gene Symbol SARM1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Pig: (88%) Specificity/Sensitivity At least three alternatively spliced transcript variants encoding distinct isoforms have been observed. SARM antibody recognize the longest isoform. Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human SARM. The immunogen is located within amino acids 30 - 80 of SARM. Amino Acid Squence: AGGRGPREVSPGAGTE Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Buffer	PBS
Gene Symbol SARM1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Pig: (88%) Specificity/Sensitivity At least three alternatively spliced transcript variants encoding distinct isoforms have been observed. SARM antibody recognize the longest isoform. Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human SARM. The immunogen is located within amino acids 30 - 80 of SARM. Amino Acid Squence: AGGRGPREVSPGAGTE Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Product Description	
Gene Symbol SARM1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Pig: (88%) Specificity/Sensitivity At least three alternatively spliced transcript variants encoding distinct isoforms have been observed. SARM antibody recognize the longest isoform. Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human SARM. The immunogen is located within amino acids 30 - 80 of SARM. Amino Acid Squence: AGGRGPREVSPGAGTE Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Host	Rabbit
Species	Gene ID	23098
Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Pig: (88%) Specificity/Sensitivity At least three alternatively spliced transcript variants encoding distinct isoforms have been observed. SARM antibody recognize the longest isoform. Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human SARM. The immunogen is located within amino acids 30 - 80 of SARM. Amino Acid Squence: AGGRGPREVSPGAGTE Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Gene Symbol	SARM1
tested species: Pig: (88%) Specificity/Sensitivity At least three alternatively spliced transcript variants encoding distinct isoforms have been observed. SARM antibody recognize the longest isoform. Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human SARM. The immunogen is located within amino acids 30 - 80 of SARM. Amino Acid Squence: AGGRGPREVSPGAGTE Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Species	Human, Mouse, Rat
have been observed. SARM antibody recognize the longest isoform. Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human SARM. The immunogen is located within amino acids 30 - 80 of SARM. Amino Acid Squence: AGGRGPREVSPGAGTE Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Reactivity Notes	
terminus of human SARM. The immunogen is located within amino acids 30 - 80 of SARM. Amino Acid Squence: AGGRGPREVSPGAGTE Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Specificity/Sensitivity	
Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Immunogen	terminus of human SARM. The immunogen is located within amino acids 30 - 80
Recommended Dilutions Western Blot 1 - 2 ug/mL, ELISA, Immunocytochemistry/ Immunofluorescence	Product Application Details	
3	Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence
	Recommended Dilutions	




Images

Western Blot: SARM1 Antibody [NBP2-41180] - Analysis of SARM in Daudi cell lysate with SARM antibody at (A) 1 and (B) 2 ug/mL.



Immunocytochemistry/Immunofluorescence: SARM1 Antibody [NBP2-41180] - Immunofluorescence of SARM in human kidney tissue with SARM antibody at 20 ug/mL.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-41180

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-29625PEP SARM1 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-41180

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

