Product Datasheet P2X7/P2RX7 Antibody [DyLight 650] NBP2-41300C

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-41300C

Updated 7/11/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-41300C



NBP2-41300C

P2X7/P2RX7 Antibody [DyLight 650]

Unit Size0.1 mlConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C in the dark.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugateDyLight 650PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID5027Gene SymbolP2RX7SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non-tested species: Rat: (81%)Specificity/SensitivityMultiple isoforms of P2RX7 are known to exist.ImmunogenAntibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYSNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.	Product Information		
services.StorageStore at 4C in the dark.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugateDyLight 650PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID5027Gene SymbolP2RX7SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non-tested species: Rat: (81%)Specificity/SensitivityMultiple isoforms of P2RX7 are known to exist.ImmunogenAntibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYSNotes	Unit Size	0.1 ml	
ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugateDyLight 650PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID5027Gene SymbolP2RX7SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non-tested species: Rat: (81%)Specificity/SensitivityMultiple isoforms of P2RX7 are known to exist.ImmunogenAntibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYSNotesImmunogen Carbon Car	Concentration		
Preservative0.05% Sodium AzideIsotypeIgGConjugateDyLight 650PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID5027Gene SymbolP2RX7SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non-tested species: Rat: (81%)Specificity/SensitivityMultiple isoforms of P2RX7 are known to exist.ImmunogenAntibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYSNotesImmunogen	Storage	Store at 4C in the dark.	
IsotypeIgGConjugateDyLight 650PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID5027Gene SymbolP2RX7SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non-tested species: Rat: (81%)Specificity/SensitivityMultiple isoforms of P2RX7 are known to exist.ImmunogenAntibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYSNotes	Clonality	Polyclonal	
ConjugateDyLight 650PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitGene ID5027Gene SymbolP2RX7SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non-tested species: Rat: (81%)Specificity/SensitivityMultiple isoforms of P2RX7 are known to exist.ImmunogenAntibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYSNotesImmunogen	Preservative	0.05% Sodium Azide	
PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionForduct DescriptionHostRabbitGene ID5027Gene SymbolP2RX7SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non-tested species: Rat: (81%)Specificity/SensitivityMultiple isoforms of P2RX7 are known to exist.ImmunogenAntibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYSNotesImmunogen	Isotype	IgG	
Buffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID5027Gene SymbolP2RX7SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non-tested species: Rat: (81%)Specificity/SensitivityMultiple isoforms of P2RX7 are known to exist.ImmunogenAntibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYSNotesImmunogen	Conjugate	DyLight 650	
Product DescriptionHostRabbitGene ID5027Gene SymbolP2RX7SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non-tested species: Rat: (81%)Specificity/SensitivityMultiple isoforms of P2RX7 are known to exist.ImmunogenAntibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYSNotesImmunogen	Purity	Peptide affinity purified	
HostRabbitGene ID5027Gene SymbolP2RX7SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- tested species: Rat: (81%)Specificity/SensitivityMultiple isoforms of P2RX7 are known to exist.ImmunogenAntibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYSNotesImmunogen	Buffer	50mM Sodium Borate	
Gene ID5027Gene SymbolP2RX7SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- tested species: Rat: (81%)Specificity/SensitivityMultiple isoforms of P2RX7 are known to exist.ImmunogenAntibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYSNotesImmunogen	Product Description		
Gene SymbolP2RX7SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- tested species: Rat: (81%)Specificity/SensitivityMultiple isoforms of P2RX7 are known to exist.ImmunogenAntibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYSNotesImmunogen	Host	Rabbit	
SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- tested species: Rat: (81%)Specificity/SensitivityMultiple isoforms of P2RX7 are known to exist.ImmunogenAntibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYSNotes	Gene ID	5027	
Reactivity NotesImmunogen displays the following percentage of sequence identity for non- tested species: Rat: (81%)Specificity/SensitivityMultiple isoforms of P2RX7 are known to exist.ImmunogenAntibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYSNotes	Gene Symbol	P2RX7	
tested species: Rat: (81%)Specificity/SensitivityMultiple isoforms of P2RX7 are known to exist.ImmunogenAntibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYSNotes	Species	Human, Mouse	
Immunogen Antibody was raised against a 17 amino acid peptide near the carboxy terminus of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYS Notes Immunogen	Reactivity Notes		
of human P2RX7. The immunogen is located within the last 50 amino acids of P2RX7. Amino Acid Squence: RWRIRKEFPKSEGQYS Notes	Specificity/Sensitivity	Multiple isoforms of P2RX7 are known to exist.	
	Immunogen	of human P2RX7. The immunogen is located within the last 50 amino acids of	
	Notes	DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.	
Product Application Details			
Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence	Applications	Western Blot, ELISA, Immunocytochemistry/Immunofluorescence	
Recommended Dilutions Western Blot, ELISA, Immunocytochemistry/Immunofluorescence	Recommended Dilutions	Western Blot, ELISA, Immunocytochemistry/Immunofluorescence	
Application NotesOptimal dilution of this antibody should be experimentally determined.	Application Notes	Optimal dilution of this antibody should be experimentally determined.	

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: technical@novusbio.com Orders: orders@novusbio.com General: novus@novusbio.com

Products Related to NBP2-41300C

NBL1-14033	P2X7/P2RX7 Overexpression Lysate
210-TA-005	TNF-alpha [Unconjugated]
H00005027-P01-2ug	Recombinant Human P2X7/P2RX7 GST (N-Term) Protein
NBP2-24891C	Rabbit IgG Isotype Control [DyLight 650]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-41300C

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

