

Product Datasheet

Phospho-Tyrosine Antibody (21) - Azide and BSA Free NBP2-42911

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-42911

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-42911



NBP2-42911


Phospho-Tyrosine Antibody (21) - Azide and BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	21
Preservative	No Preservative
Isotype	IgG2b
Purity	Protein G purified
Buffer	PBS
Product Description	
Description	Novus Biologicals Mouse Phospho-Tyrosine Antibody (21) - Azide and BSA Free (NBP2-42911) is a monoclonal antibody validated for use in WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Species	Human
Reactivity Notes	Species independent
Immunogen	The immunogen used to generate this antibody corresponds to Phospho-Tyrosine
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Western Blot 1:5000-1:20000, Immunocytochemistry/ Immunofluorescence 1:50-1:1000




Images

Western Blot: Phospho-Tyrosine Antibody (21) [NBP2-42911] - Analysis of Un-treated (-) and treated (+), 1mM Pervanadate treatment for 30min. Raji whole cell extracts (5 ug) were separated by 12% SDS-PAGE, and the membrane was blotted with Phosphotyrosine antibody.



Immunocytochemistry/Immunofluorescence: Phospho-Tyrosine Antibody (21) [NBP2-42911] - Analysis of Sample: MDA-MB-231 cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: Phosphotyrosine protein stained by Phosphotyrosine antibody [0021] diluted at 1:50. Red: paxillin, a cytoskeleton marker, stained by Paxillin antibody diluted at 1:100.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-42911

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP2-27231	Mouse IgG2b Isotype Control (MPC-11)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-42911

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

