

Product Datasheet

His Tag Antibody (359) - Azide and BSA Free NBP2-43536

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-43536

Updated 2/23/2025 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-43536




NBP2-43536

His Tag Antibody (359) - Azide and BSA Free


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	359
Preservative	No Preservative
Isotype	IgG3
Purity	Protein G purified
Buffer	PBS, 20% Glycerol
Product Description	
Host	Mouse
Species	Epitope Tag
Immunogen	The immunogen used to generate this antibody corresponds to His Tag
Product Application Details	
Applications	Western Blot, Simple Western, ELISA, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000 - 1:10000, Simple Western Validated by a verified customer review, ELISA 1:1000 - 1:10000, Immunocytochemistry/ Immunofluorescence 1:100 - 1:2000, Immunoprecipitation 1:100 - 1:500

Images


Simple Western: His Tag Antibody (359) [NBP2-43536] - Human purified protein. Simple Western image submitted by a verified customer review.




Immunocytochemistry/Immunofluorescence: His Tag Antibody (359) [NBP2-43536] - Mock and transfected 293T cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: 6X His tag stained by 6X His tag antibody [359] diluted at 1:1000. Blue: Fluoroshield with DAPI.




Western Blot: His Tag Antibody (359) [NBP2-43536] - 6x His antibody detects 6x His protein by Western blot analysis. A. Non-induced cell lysates from E. coli expressing HIS-tagged proteins. B. IPTG-induced cell lysates from E. coli expressing HIS-tagged proteins. 15 % SDS-PAGE. 6x His antibody dilution: 1:5000.




Western Blot: His Tag Antibody (359) [NBP2-43536] - Analysis of cell lysate/extract of His-fused gene transfected HeLa cells A. 1/20 lysate/extract of transfected HeLa cells B. Control with 2 ug of preimmune mouse IgG C. Immunoprecipitation of His-fused protein by 2 ug of 6X His tag antibody [359] 12% SDS-PAGE The immunoprecipitated His-fused protein was detected by 6X His tag antibody [359] diluted at 1:1000.




Western Blot: His Tag Antibody (359) [NBP2-43536] - A) 2 ug GST-recombinant protein B) 2 ug His-recombinant protein C) 1 ug His-recombinant protein D) 0.5 ug His-recombinant protein E) 0.1 ug His-recombinant protein. 12% SDS-PAGE 6x His antibody at 1:5000.




ELISA: His Tag Antibody (359) [NBP2-43536] - 6X His tag antibody [359] detects His-tagged recombinant proteins by indirect ELISA analysis. Various dilutions of His-tagged recombinant proteins coated onto the 96-well plate were detected by using 0.5 ug/mL 6X His tag antibody [359]. Bound Abs were further detected by using HRP-conjugated goat anti-mouse IgG with HRP substrates.



Western Blot: His Tag Antibody (359) [NBP2-43536] - 6x His antibody detects 6x His protein by Western blot analysis. Lane A and B were IPTG-induced cell lysate from E. coli expressing different GST-tagged proteins. Lane C to G were IPTG induced cell lysate from E. coli expressing different His-tagged protein. 12 % SDS-PAGE
6x His antibody (NBP2-43536) dilution: 1:5000



Western Blot: His Tag Antibody (359) [NBP2-43536] - Non-transfected (-) and transfected (+) 293T whole cell extracts (30 ug) were separated by 7.5% SDS-PAGE, and the membrane was blotted with His Tag antibody [GT359] (NBP2-43536) diluted at 1:5000. The HRP-conjugated anti-mouse IgG antibody was used to detect the primary antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-43536

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96777	Mouse IgG3 Isotype Control (MG3)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-43536

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

