Product Datasheet

Enolase 1 Antibody (186) - Azide and BSA Free NBP2-43701

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-43701

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-43701



NBP2-43701


Enolase 1 Antibody (186) - Azide and BSA Free

Endiase 1 Antibody (186) - Azide and BSA Free	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	186
Preservative	No Preservative
Isotype	IgG2a
Purity	Protein G purified
Buffer	PBS
Target Molecular Weight	47 kDa
Product Description	
Host	Mouse
Gene ID	2023
Gene Symbol	ENO1
Species	Human, Rat
Immunogen	Recombinant protein encompassing a sequence within the center region of human Enolase 1. The exact sequence is proprietary.
Product Application Details	
Applications	Western Blot
Recommended Dilutions	Western Blot 1:5000-1:20000




Images


Western Blot: Enolase 1 Antibody (186) [NBP2-43701] - Rat tissue extract (50 ug) was separated by 10% SDS-PAGE, and the membrane was blotted with Enolase 1 Antibody (186) diluted at 1:10000. HRP-conjugated anti-mouse IgG antibody was used to detect the primary antibody.




Western Blot: Enolase 1 Antibody (186) [NBP2-43701] - Analysis of A. 30 ug A549 whole cell lysate/extract B. 30 ug H1299 whole cell lysate/extract C. 30 ug HCT116 whole cell lysate/extract 10 % SDS-PAGE ENO1 antibody [186] dilution: 1:10000.



Western Blot: Enolase 1 Antibody (186) [NBP2-43701] - Non-transfected (-) and transfected (+) 293T whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with ENO1 antibody [186].



Western Blot: Enolase 1 Antibody (186) [NBP2-43701] - Various whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with Enolase 1 Antibody (186) diluted at 1:10000. HRP-conjugated anti-mouse IgG antibody was used to detect the primary antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-43701

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-96778 Mouse IgG2a Isotype Control (M2A)
NBP1-30262 Recombinant Human Enolase 1 Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-43701

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

