

Product Datasheet

Triosephosphate isomerase Antibody (181) - Azide and BSA Free NBP2-43761

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-43761

Updated 9/9/2025 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-43761



NBP2-43761**Triosephosphate isomerase Antibody (181) - Azide and BSA Free**


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	181
Preservative	No Preservative
Isotype	IgG3
Purity	Protein G purified
Buffer	PBS
Target Molecular Weight	31 kDa

Product Description	
Description	Novus Biologicals Mouse Triosephosphate isomerase Antibody (181) - Azide and BSA Free (NBP2-43761) is a monoclonal antibody validated for use in IHC, WB and ICC/IF. Anti-Triosephosphate isomerase Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	7167
Gene Symbol	TPI1
Species	Human, Mouse, Rat
Immunogen	Carrier-protein conjugated synthetic peptide encompassing a sequence within the C-terminus region of human Triosephosphate isomerase. The exact sequence is proprietary.


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000

Images


Western Blot: Triosephosphate isomerase Antibody (181) [NBP2-43761] - Non-transfected (-) and transfected (+) 293T whole cell extracts (30 ug) were separated by 12% SDS-PAGE, and the membrane was blotted with Triosephosphate isomerase antibody [181] diluted at 1:500.




Immunocytochemistry/Immunofluorescence: Triosephosphate isomerase Antibody (181) [NBP2-43761] - Analysis of Sample: HeLa cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: Triosephosphate isomerase protein stained by Triosephosphate isomerase antibody [181] diluted at 1:200. Blue: Hoechst 33342 staining.




Immunohistochemistry-Paraffin: Triosephosphate isomerase Antibody (181) [NBP2-43761] - Mouse testis. Triosephosphate isomerase stained by Triosephosphate isomerase antibody [181] diluted at 1:100. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.




Western Blot: Triosephosphate isomerase Antibody (181) [NBP2-43761] - Analysis of A. 30 ug 293T whole cell extract B. 30 ug A431 whole cell extract C. 30 ug HeLa whole cell extract D. 30 ug HepG2 whole cell extract 12 % SDS-PAGE Triosephosphate isomerase antibody [181] dilution: 1:1000



Western Blot: Triosephosphate isomerase Antibody (181) [NBP2-43761] - Analysis of A. 30 ug Neuro2A whole cell extract B. 30 ug C8D30 whole cell extract C. 30 ug NIH-3T3 whole cell extract D. 30 ug Raw264.7 whole cell extract E. 30 ug C2C12 whole cell extract 12 % SDS-PAGE Triosephosphate isomerase antibody [181] dilution: 1:1000



Western Blot: Triosephosphate isomerase Antibody (181) [NBP2-43761]
 - Analysis of A. 30 ug PC-12 whole cell extract B. 30 ug Rat2 whole cell
 extract 12 % SDS-PAGE Triosephosphate isomerase antibody [181]
 dilution: 1:1000



Publications

Tang Q, Tang Y, Yang Q et al. Embelin attenuates lipopolysaccharide-induced acute kidney injury through the inhibition of M1 macrophage activation and NF- κ B signaling in mice Heliyon 2023-02-01 [PMID: 36938407] (IHC-P, Mouse)

Tang Y, Wang C, Chen S et al. Dimethyl fumarate attenuates LPS induced septic acute kidney injury by suppression of Nf kappa B p65 phosphorylation and macrophage activation International immunopharmacology 2022-01-01 [PMID: 34915410] (ICC/IF, Mouse)

**Novus Biologicals USA**

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-43761

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96777	Mouse IgG3 Isotype Control (MG3)
NBP2-53086-20ug	Recombinant Human Triosephosphate isomerase His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-43761

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

