

Product Datasheet

Calnexin Antibody (1563) - Azide and BSA Free NBP2-43765

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 5

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-43765

Updated 2/23/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-43765



NBP2-43765

Calnexin Antibody (1563) - Azide and BSA Free


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	1563
Preservative	No Preservative
Isotype	IgG2a
Purity	Protein G purified
Buffer	PBS
Target Molecular Weight	68 kDa

Product Description	
Host	Mouse
Gene ID	821
Gene Symbol	CANX
Species	Human, Mouse, Rat
Reactivity Notes	Immunogen displays the following percentage of sequence identity for non-tested species: Zebrafish (82%), Xenopus laevis (89%).
Immunogen	Recombinant protein encompassing a sequence within the center region of human Calnexin. The exact sequence is proprietary.


Product Application Details	
Applications	Western Blot, Dot Blot, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation
Recommended Dilutions	Western Blot 1:500-1:10000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunoprecipitation Assay dependent, Dot Blot Assay dependent

Images


Immunocytochemistry/Immunofluorescence: Calnexin Antibody (1563) [NBP2-43765] - HeLa cells were fixed in ice-cold MeOH for 5 min. Green: Calnexin stained by Calnexin antibody [1563] diluted at 1:500. Red: Calnexin, stained by Calnexin antibody [C3], C-term (GTX109669) diluted at 1:500. Blue: Hoechst 33342 staining.




Western Blot: Calnexin Antibody (1563) [NBP2-43765] - Analysis of A. 30 ug 293T whole cell lysate/extract B. 30 ug A431 whole cell lysate/extract C. 30 ug HeLa whole cell lysate/extract D. 30 ug HepG2 whole cell lysate/extract 7.5 % SDS-PAGE Calnexin antibody [1563] dilution: 1:1000.




Western Blot: Calnexin Antibody (1563) [NBP2-43765] - Analysis of A. 30 ug PC-12 whole cell lysate/extract B. 30 ug Rat-2 whole cell lysate/extract 7.5 % SDS-PAGE Calnexin antibody [1563] dilution: 1:500




Immunocytochemistry/ Immunofluorescence: Calnexin Antibody (1563) [NBP2-43765] - Calnexin antibody [GT1563] detects Calnexin protein at cytoplasm by immunofluorescent analysis. Sample: Neuro2A cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: Calnexin stained by Calnexin antibody [GT1563] (NBP2-43765) diluted at 1:500. Blue: Fluoroshield with DAPI .




Western Blot: Calnexin Antibody (1563) [NBP2-43765] - Analysis of A. 50 ug mouse liver lysate/extract 7.5 % SDS-PAGE Calnexin antibody [1563] dilution: 1:1000




Western Blot: Calnexin Antibody (1563) [NBP2-43765] - Non-transfected (-) and transfected (+) 293T whole cell extracts (15 ug) were separated by 7.5% SDS-PAGE, and the membrane was blotted with Calnexin antibody [1563] (NBP2-43765).




AKT acts down-stream of mTOR signaling. To examine if Akt is upstream or downstream of mTOR signaling (C) Cells cultured without pyruvate were exposed to Akt inhibitor (AI, 5 μ M) or rapamycin (1, 10, or 100 nM), and mTOR phosphorylation, total mTOR levels and phosphorylation of p70S6K was assessed, calnexin was used as a protein loading control. The numbers above the blots indicate phospho-S6K levels relative to calnexin.



Western Blot: Calnexin Antibody (1563) [NBP2-43765] - Various tissue extracts (50 ug) were separated by 7.5% SDS-PAGE, and the membrane was blotted with Calnexin antibody [GT1563] (NBP2-43765) diluted at 1:1000. The HRP-conjugated anti-mouse IgG antibody was used to detect the primary antibody.



Western Blot: Calnexin Antibody (1563) [NBP2-43765] - Non-transfected (-) and transfected (+) 293T whole cell extracts (30 ug) were separated by 7.5% SDS-PAGE, and the membrane was blotted with Calnexin antibody [GT1563] (NBP2-43765) diluted at 1:5000. The HRP-conjugated anti-mouse IgG antibody was used to detect the primary antibody.



Publications

Müller-Calleja N, Hollerbach A, Canisius A et al. Rapid translocation of intracellular toll-like receptors depends on endosomal NADPH oxidase *European journal of immunology* 2023-06-27 [PMID: 37366283]

Copperi F, Schleis I, Roumain M et al. EBI2 is a negative modulator of brown adipose tissue energy expenditure in mice and human brown adipocytes *Communications biology* 2022-03-29 [PMID: 35351968] (WB, Mouse)

Ruhen O, Qu X, Jamaluddin MFB Et al. Dynamic Landscape of Extracellular Vesicle-Associated Proteins Is Related to Treatment Response of Patients with Metastatic Breast Cancer *Membranes* 2021-11-16 [PMID: 34832109] (WB, Human)

Ruhen O, Mirzai B, Clark ME et al. Comparison of Circulating Tumour DNA and Extracellular Vesicle DNA by Low-Pass Whole-Genome Sequencing Reveals Molecular Drivers of Disease in a Breast Cancer Patient *Biomedicines* 2020-12-25 [PMID: 33375577] (WB, Human)

Tiedemann K, Le Nihouannen D, Fong JE et al. Regulation of Osteoclast Growth and Fusion by mTOR/raptor and mTOR/ric1/Akt *Front Cell Dev Biol.* 2017-05-17 [PMID: 28573133] (WB, Mouse)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-43765

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96778	Mouse IgG2a Isotype Control (M2A)
NB100-1965PEP	Calnexin Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-43765

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

