## **Product Datasheet**

# CD59 Antibody (MACIF/629) NBP2-44700-0.1mg

Unit Size: 0.1 mg Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-44700

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-44700



## NBP2-44700-0.1mg


CD59 Antibody (MACIF/629)

| CD39 Antibody (MACIF/629)   |   |
|-----------------------------|---|
| Product Information         |   |
| Unit Size                   | 0.1 mg  |
| Concentration               | 0.2 mg/ml   |
| Storage                     | Store at 4C.  |
| Clonality                   | Monoclonal  |
| Clone                       | MACIF/629   |
| Preservative                | 0.05% Sodium Azide  |
| Isotype                     | IgG1 Kappa  |
| Purity                      | Protein G purified  |
| Buffer                      | 10 mM PBS with 0.05% BSA  |
| Target Molecular Weight     | 20 kDa  |
| Product Description         |   |
| Description                 | 200ug/ml of antibody purified from Bioreactor Concentrate. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP2-47820)  Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.  |
| Host                        | Mouse   |
| Gene ID                     | 966   |
| Gene Symbol                 | CD59  |
| Species                     | Human   |
| Specificity/Sensitivity     | Reacts with human CD59, a 20kDa glycosyl phosphatidyl-inositol (GPI)-anchored cell surface protein. CD59 regulates complement-mediated cell lysis, and it is involved in lymphocyte signal transduction. This protein is a potent inhibitor of the complement membrane attack complex, whereby it binds complement C8 and/or C9 during the assembly of this complex, thereby inhibiting the incorporation of multiple copies of C9 into the complex, which is necessary for osmolytic pore formation. CD59 is widely distributed on cells in all tissues. It inhibits formation of MAC, thus protecting cells from complement-mediated lysis. The expression of CD59 on erythrocytes is important for their survival. Genetic defects in GPI-anchor attachment, that cause a reduction or loss of CD59 and CD55 on erythrocytes produce the symptoms of the disease paroxysmal hemoglobinuria (PNH). This monoclonal antibody is useful for study on GPI-anchored proteins, PNH and CD59 functions. |
| Immunogen                   | Human K562 tumor cells  |
| Product Application Details |   |
| Applications                | Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunofluorescence  |
| Recommended Dilutions       | Flow Cytometry 1-2 ug/million cells, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml, Immunofluorescence 0.5 - 1.0 ug/ml   |
| Application Notes           | Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.   |




### **Images**

Immunohistochemistry-Paraffin: CD59 Antibody (MACIF/629) [NBP2-44700] - Formalin-fixed, paraffin-embedded human Tongue stained with CD59 Antibody (MACIF/629).



Immunohistochemistry-Paraffin: CD59 Antibody (MACIF/629) [NBP2-44700] - Human Tongue stained with CD59 Monoclonal Antibody (MACIF/629)





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP2-44700-0.1mg

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

NBP1-89405PEP CD59 Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-44700

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

