Product Datasheet

NONO Antibody (OTI3F8) NBP2-46194

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-46194

Updated 9/20/2021 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-46194



NBP2-46194

NONO Antibody (OTI3F8)

| Product Information | | |
|-----------------------------|---|--|
| Unit Size | 0.1 ml | |
| Concentration | 1 mg/ml | |
| Storage | Store at -20C. Avoid freeze-thaw cycles. | |
| Clonality | Monoclonal | |
| Clone | OTI3F8 | |
| Preservative | 0.02% Sodium Azide | |
| Isotype | lgG1 | |
| Purity | Immunogen affinity purified | |
| Buffer | PBS (pH 7.3), 1.0% BSA and 50% Glycerol | |
| Target Molecular Weight | 54.1 kDa | |
| Product Description | | |
| Host | Mouse | |
| Gene ID | 4841 | |
| Gene Symbol | NONO | |
| Species | Human, Mouse, Rat, Canine, Monkey | |
| Reactivity Notes | Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. | |
| Immunogen | Human recombinant protein fragment corresponding to amino acids 184-385 of human NONO(NP_031389) produced in E.coli. | |
| Product Application Details | | |
| Applications | Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunofluorescence | |
| Recommended Dilutions | Western Blot 1:200 - 1000, Immunohistochemistry 1:150, Immunocytochemistry/ Immunofluorescence 1:100, Immunofluorescence 1:100 | |
| Images | | |


Images


Western Blot: NONO Antibody (OTI3F8) [NBP2-46194] - Analysis of HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY NONO.

| 170 | - | |
|-----|---|---|
| 130 | _ | |
| 100 | — | |
| 70 | _ | |
| 55 | _ | - |
| 40 | - | |
| 35 | - | |
| 25 | - | |
| 15 | _ | |
| 10 | _ | |



Immunohistochemistry: NONO Antibody (OTI3F8) [NBP2-46194] -Analysis of Human lymphoma tissue. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120C for 3min)






Immunohistochemistry: NONO Antibody (OTI3F8) [NBP2-46194] -Analysis of Human Kidney tissue. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120C for 3min)

Western Blot: NONO Antibody (OTI3F8) [NBP2-46194] - Analysis of

SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK:

canine; PC12: rat; MCF7: human).

Immunohistochemistry: NONO Antibody (OTI3F8) [NBP2-46194] -Analysis of Adenocarcinoma of Human endometrium tissue. (Heatinduced epitope retrieval by 10mM citric buffer, pH6.0, 120C for 3min)






Immunohistochemistry: NONO Antibody (OTI3F8) [NBP2-46194] -Analysis of Human liver tissue. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120C for 3min) Immunohistochemistry: NONO Antibody (OTI3F8) [NBP2-46194] -Analysis of Human tonsil tissue. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120C for 3min) Immunohistochemistry: NONO Antibody (OTI3F8) [NBP2-46194] -Analysis of Human pancreas tissue. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120C for 3min) Immunohistochemistry: NONO Antibody (OTI3F8) [NBP2-46194] -Analysis of Adenocarcinoma of Human ovary tissue using NONO mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120C for 3min)

www.novusbio.com



Immunohistochemistry: NONO Antibody (OTI3F8) [NBP2-46194] -Analysis of Carcinoma of Human lung tissue.(Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120C for 3min)



Immunofluorescence: NONO Antibody (OTI3F8) [NBP2-46194] -Analysis of COS7 cells transiently transfected by pCMV6-ENTRY NONO.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-46194

| HAF007 | Goat anti-Mouse IgG Secondary Antibody [HRP] |
|--------------------|---|
| NB720-B | Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin] |
| NBP1-97005-0.5mg | Mouse IgG1 Isotype Control (MG1) |
| H00004841-Q01-10ug | Recombinant Human NONO GST (N-Term) Protein |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-46194

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

