Product Datasheet

Colon Matched Tumor and Normal Tissue Lysate NBP2-47073-2Vial

Unit Size: 2 Vial

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47073

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47073



NBP2-47073-2Vial

Colon Matched Tumor and Normal Tissue Lysate

Colon Matched Tumor and Normal Tissue Lysate	
Product Information	
Unit Size	2 Vial
Concentration	mg/ml
Storage	Store at -80C. Avoid freeze-thaw cycles.
Product Description	
Description	1 x Human colon tumor tissue lysate (1 mg/ml, 100 ug/vial) 1 x Human colon normal tissue lysate (matched) (1 mg/ml, 100 ug/vial)
	Matched Tumor & Normal Tissue Lysate Set
	Diagnosis: Adenocarcinoma
	Sex: Male
	Age: 49
	Grade: 2
	Stage: II, T3N0M0
	Tumor Pathology Data
	Location: Colon
	Gross findings: Tumor size 3 x 3 x 2 cm with ulcerative surface. Cut surface is soft, white. Paracolic lymph nodes: 2
	Microscopic Findings
	Tissue sections show proliferation of malignant epithelial cell clusters. Epithelial cells have small, basophilic, irregular nuclei and abundant cytoplasm. Mitotic figures are evident. The tumor cells form glands and invaded through the muscularis propria and subserosa. The stroma is infiltrated by large numbers of inflammatory cells. Tumor necrosis and blood vessel invasion are revealed. Lymph nodes show negative.
	Preparation Method
	Tissue specimens are homogenized in modified RIPA buffer to obtain the soluble proteins, and centrifuged to clarify. Extraction 1: PBS, pH 7.4; 1 ug/ml Aprotinin; 1 mM NaF Modified RIPA Buffer: 1 mM EDTA; 1 ug/ml Pepstatin-A; 0.1% SDS; 0.25% Na deoxycholate; 1 ug/ml Leupeptin; 1 mM PMSF; 1 mM Na3VO4
Species	Human
Notes	The vial is provided with a 10% overfill. Maximum recovery can be obtained by centrifuging the vial briefly to collect any solution on the cap and tube sides. This material has tested negative for HbsAg, HIV 1/2, and HCV. Use UNIVERSAL PRECAUTIONS when handling. Human tissue derivatives must be
	treated as a potentially infectious agent and disposed of appropriately



1 age 2 of 3 v.20.1 opuated 10/25/2024	
Lysate Type	Matched Tumor and Normal Tissue
Lysate Tissue	Colon
Lysate Life Stage	Adult
Product Application Details	
Application Notes	These lysates have not been subjected to denaturing or reducing conditions. This allows the tissue or cell lysate to be used in a variety of applications; to study protein-protein interaction, ligand binding, ELISA, immunoprecipitation, 1D and 2D gel electrophoresis, and Western blotting for the detection of specific protein targets. For use in 1D and 2D gel electrophoresis, the addition of a denaturing gel loading buffer with reducing agents may be required. Buffer requirements for performing protein-protein interaction and ligand binding studies can vary significantly from RIPA buffer and may require modifications. In most cases, tissue lysates in RIPA buffer can be used, directly in standard ELISA and immunoprecipitation assays. These lysates are proteomic discovery tools. Researchers should validate and optimize for individual use.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-47073-2Vial

NBP2-30256

Human Colon Tissue MicroArray (Rectal Cancer)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47073

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

