Product Datasheet

Breast Matched Tumor and Normal Tissue Lysate NBP2-47117

Unit Size: 2 Vials

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47117

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47117



NBP2-47117

Breast Matched Tumor and Normal Tissue Lysate

| Product Information | |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Unit Size | 2 Vials |
| Concentration | mg/ml |
| Storage | Store at -80C. Avoid freeze-thaw cycles. |
| Product Description | |
| Description | 1 x Human breast tumor tissue lysate (1 mg/ml, 100 ug/vial) 1 x Human breast normal tissue lysate (matched) (1 mg/ml, 100 ug/vial) |
| | Matched Tumor & Normal Tissue Lysate Set |
| | Diagnosis: Invasive ductal carcinoma |
| | Sex: Female |
| | Age: 51 |
| | Grade: 1 |
| | Stage: IIB, T2N1M0 |
| | Tumor Pathology Data |
| | Location: Right breast |
| | Gross findings: Tumor size 4 x 3 x 3 cm. Cut section hard and white/gray. Ipsilateral axillary lymph nodes examined: 23 |
| | Microscopic Findings |
| | Cancer in surgical margin of section: Negative Multifocal carcinoma: Negative Pectoral muscular/facia invasion: Negative Chest wall invasion: Negative Breast skin dermal invasion: Negative Dermal Lymphatic channel invasion: Negative Skin invasion with ulceration: Negative Dermal lymphatic channel invasion: Negative Lymphatic and/or blood vessel invasion: Negative Tumor necrosis: Negative Number of nodes positive: 5/23 Tubule formation: 2 Nuclear pleomorphism: 2 Mitotic activity: 1 Lymphocytic response: Positive |
| | Preparation Method Tissue specimens are homogenized in modified RIPA buffer to obtain the soluble proteins, and centrifuged to clarify. Extraction 1: PBS, pH 7.4; 1 ug/ml Aprotinin; 1 mM NaF Modified RIPA Buffer: 1 mM EDTA; 1 ug/ml Pepstatin-A; 0.1% SDS; 0.25% Na deoxycholate; 1 ug/ml Leupeptin; 1 mM PMSF; 1 mM Na3VO4 |



| Species | Human |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Notes | The vial is provided with a 10% overfill. Maximum recovery can be obtained by centrifuging the vial briefly to collect any solution on the cap and tube sides. This material has tested negative for HbsAg, HIV 1/2, and HCV. Use UNIVERSAL PRECAUTIONS when handling. Human tissue derivatives must be treated as a potentially infectious agent and disposed of appropriately |
| Lysate Type | Matched Tumor and Normal Tissue |
| Lysate Tissue | Breast |
| Lysate Life Stage | Adult |
| Product Application Details | |
| Application Notes | These lysates have not been subjected to denaturing or reducing conditions. This allows the tissue or cell lysate to be used in a variety of applications; to study protein-protein interaction, ligand binding, ELISA, immunoprecipitation, 1D and 2D gel electrophoresis, and Western blotting for the detection of specific protein targets. For use in 1D and 2D gel electrophoresis, the addition of a denaturing gel loading buffer with reducing agents may be required. Buffer requirements for performing protein-protein interaction and ligand binding studies can vary significantly from RIPA buffer and may require modifications. In most cases, tissue lysates in RIPA buffer can be used, directly in standard ELISA and immunoprecipitation assays. These lysates are proteomic discovery tools. Researchers should validate and optimize for individual use. |





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-47117

NBP2-30212

Human Breast Tissue MicroArray (Cancer)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47117

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

