# **Product Datasheet**

# CBF2 Antibody - BSA Free NBP2-47525

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47525

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47525



## NBP2-47525

CBF2 Antibody - BSA Free


| CBF2 Antibody - BSA Free    |  |
|-----------------------------|--|
| Product Information         |  |
| Unit Size                   | 0.1 ml   |
| Concentration               | Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.   |
| Storage                     | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.   |
| Clonality                   | Polyclonal   |
| Preservative                | 0.02% Sodium Azide   |
| Isotype                     | IgG  |
| Purity                      | Immunogen affinity purified  |
| Buffer                      | PBS (pH 7.2) and 40% Glycerol  |
| Product Description         |  |
| Host                        | Rabbit   |
| Gene ID                     | 10153  |
| Gene Symbol                 | CEBPZ  |
| Species                     | Human  |
| Reactivity Notes            | Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (89%)   |
| Immunogen                   | This antibody was developed against a recombinant protein corresponding to amino acids: VTTKTRALTVAHELLCNKPEEEKALLVQVVNKLGDPQNRIATKASHLLETLLCKH PNMKGVVSGEVERLLFRSNISSKAQYYAICFLNQMALSHEESELAN |
| Product Application Details |  |
| Applications                | Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin  |
| Recommended Dilutions       | Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:20 - 1:50, Immunohistochemistry-Paraffin 1:20 - 1:50   |
| Application Notes           | For IHC-Paraffin, HIER pH 6 retrieval is recommended.  |
|                             |  |




# **Images**

Western Blot: CBF2 Antibody [NBP2-47525] - Lane 1: Marker [kDa] 250, 130, 100, 70, 55, 35, 25, 15, 10

Lane 2: Human cell line NTERA-2



Immunohistochemistry: CBF2 Antibody [NBP2-47525] - Analysis of human testis shows strong cytoplasmic positivity in cells in seminiferus ducts.





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP2-47525**

NBP2-47525PEP CBF2 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47525

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

