Product Datasheet

Cytokeratin, pan Antibody (KRT/457) [FITC] NBP2-47669F

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47669F

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-47669F



NBP2-47669F

Product Information	Cytokeratin, pan Antibody (KRT/457) [FITC]		
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone KRT/457 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate FITC Purity Protein A or G purified Buffer PBS Product Description Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW), and basic (Type I or HMW) cytokeratins, including 59kDa (CK4); 56kDa (CK6); 55kDa (CK6); 55kDa (CK6); 55kDa (CK13) and 45kDa (CK13). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen	Product Information		
Storage Store at 4C in the dark. Clonality Monoclonal Clone KRT/457 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate FITC Purity Protein A or G purified Buffer PBS Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW); 56kDa (CKS); 5	Unit Size	0.1 ml	
Clone KRT/457 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate FITC Purity Protein A or G purified Buffer PBS Product Description Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type I or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 55kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Keratino Details	Concentration		
Clone KRT/457 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate FITC Purity Protein A or G purified Buffer PBS Product Description Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis and caidic (19.6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK6); 56kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Keratin-enriched preparation from cultured human epithelial cells Product Application Details	Storage	Store at 4C in the dark.	
Preservative 19G1 Kappa 1	Clonality	Monoclonal	
Isotype	Clone	KRT/457	
Conjugate FITC Purity Protein A or G purified Buffer PBS Product Description Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Keratin-enriched preparation from cultured human epithelial cells Product Application Details	Preservative	0.05% Sodium Azide	
Protein A or G purified Buffer PBS Product Description Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (p1 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 55.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Keratin-enriched preparation from cultured human epithelial cells Product Application Details	Isotype	IgG1 Kappa	
Product Description Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Product Application Details	Conjugate	FITC	
Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (p1 6.0) subfamilies. This antibody recognizes acidic (Type 1 or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 55.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Froduct Application Details	Purity	Protein A or G purified	
Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Product Application Details	Buffer	PBS	
volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Product Application Details	Product Description		
Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Product Application Details	Description	volume of this product. The volume will be greater than or equal to the unit size	
Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Froduct Application Details	Host	Mouse	
Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Frog Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Froduct Application Details	Gene ID	3848	
Reactivity Notes Frog Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Froduct Application Details	Gene Symbol	KRT1	
Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Froduct Application Details	Species	Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey	
Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Froduct Application Details Product Application Details	Reactivity Notes	Frog	
into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Keratin-enriched preparation from cultured human epithelial cells Product Application Details	Marker	Epithelial Marker	
Product Application Details	Specificity/Sensitivity	into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the	
	Immunogen	Keratin-enriched preparation from cultured human epithelial cells	
Applications Western Blot. Flow Cytometry, Immunocytochemistry/ Immunofluorescence	Product Application Details		
Immunofluorescence	Applications		
Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Recommended Dilutions	Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence,	
Application Notes Optimal dilution of this antibody should be experimentally determined.	Application Notes	Optimal dilution of this antibody should be experimentally determined.	
	• •	,	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-47669F

NBP1-43319F Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [FITC]

DNST0 Endostatin [HRP]

MAB1455 Albumin Antibody (188835) [Unconjugated] - Serum

NB100-687 Cytokeratin 19 Antibody - BSA Free

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47669F

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

