Product Datasheet

Cytokeratin, pan Antibody (KRT/457) [HRP] NBP2-47669H

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47669H

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-47669H



NBP2-47669H

Cytokeratin, pan Antibody (KRT/457) [HRP]

Product Information	Cytokeratin, pan Antibody (KRT/457) [HRP]		
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone KRT/457 Preservative No Preservative Isotype IgG1 Kappa Conjugate HRP Purity Protein A or G purified Buffer PBS Product Description Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (p1 6.0) subtamilies. This is altibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59th (CKf); 56kDa (CKf); 55kDa (CKR); 56kDa (CKR); 56k	Product Information		
Storage Store at 4C in the dark. Clonality Monoclonal Clone KRT/457 Preservative No Preservative Isotype IgG1 Kappa Conjugate HRP Purity Protein A or G purified Buffer PBS Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subramilies. This is a broad-spectrum antibody, which has been reportiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immu	Unit Size	0.1 ml	
Clone KRT/457 Preservative No Preservative IgG1 Kappa HRP Purity Protein A or G purified Buffer PBS Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 3848 Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Frog Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CKA); 58kDa (CKS); 56kDa (CKG); 55kDa (CKS); 56kDa (CKG); 55kDa (CKG); 55kDa (CKG); 56kDa (CKG); 56kDa (CKG); 30kDa (C	Concentration		
Clone KRT/457 Preservative No Preservative Isotype IgG1 Kappa Conjugate HRP Purity Protein A or G purified Buffer PBS Product Description Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK8); 56kDa (CK6); 55kDa (CK8); 56kDa (CK6); 55kDa (CK8); 56kDa (CK6); 55kDa (CK8); 56kDa (CK6); 64cda (CK13) and 45kDa (CK13). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefuness of keratins as markers in cancer research and tumor diagnosis. Immunogen Keratin-enriched preparation from cultured human epithelial cells Product Application Details Applications Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunofluorescenc	Storage	Store at 4C in the dark.	
Preservative No Preservative Isotype IgG1 Kappa Conjugate HRP Purity Protein A or G purified Buffer PBS Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 55.kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis.	Clonality	Monoclonal	
IgG1 Kappa IgG1 Kappa	Clone	KRT/457	
Conjugate HRP Purity Protein A or G purified Buffer PBS Product Description Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 55kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Keratin-enriched preparation from cultured human epithelial cells Product Application Details Applications Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immun	Preservative	No Preservative	
Purity Protein A or G purified Buffer PBS Product Description Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including SpkDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK6); 55kDa (CK6); 55kDa (CK6); 55kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Keratin-enriched preparation from cultured human epithelial cells Product Application Details Applications Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunofluorescence, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, CyTOF-ready	Isotype	IgG1 Kappa	
Product Description	Conjugate	HRP	
Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 56kDa (CK6); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Keratin-enriched preparation from cultured human epithelial cells Product Application Details Applications Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunofluorescence, CyTOF-ready, Immunofluorescence, Immunohistochemistry, Immunofluorescence, CyTOF-ready	Purity	Protein A or G purified	
This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (p1 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Keratin-enriched preparation from cultured human epithelial cells Product Application Details Applications Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunofluorescence, CyTOF-ready, Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Buffer	PBS	
volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Mouse Gene ID 3848 Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5Da (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Keratin-enriched preparation from cultured human epithelial cells Product Application Details Applications Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunofluorescence, CyTOF-ready Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, CyTOF-ready	Product Description		
Gene Symbol KRT1 Species Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Keratin-enriched preparation from cultured human epithelial cells Product Application Details Applications Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunofluorescence, CyTOF-ready	Description	volume of this product. The volume will be greater than or equal to the unit size	
Species	Host	Mouse	
Species	Gene ID	3848	
Reactivity Notes Frog Marker Epithelial Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Keratin-enriched preparation from cultured human epithelial cells Product Application Details Applications Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Gene Symbol	KRT1	
Marker Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Keratin-enriched preparation from cultured human epithelial cells Product Application Details Applications Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunofluorescence Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, CyTOF-ready, Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Species	Human, Mouse, Rat, Porcine, Amphibian, Bovine, Guinea Pig, Goat, Monkey	
Specificity/Sensitivity Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Rerommended Dilutions Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunofluorescence Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, CyTOF-ready Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, CyTOF-ready	Reactivity Notes	Frog	
into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the usefulness of keratins as markers in cancer research and tumor diagnosis. Immunogen Keratin-enriched preparation from cultured human epithelial cells Product Application Details Applications Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunofluorescence Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, CyTOF-ready Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Marker	Epithelial Marker	
Product Application Details Applications Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Specificity/Sensitivity	into acidic (pl 6.0) subfamilies. This antibody recognizes acidic (Type I or LMW) and basic (Type II or HMW) cytokeratins, including 59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 52kDa (CK8); 56.5kDa (CK10); 53kDa (CK13) and 45kDa (CK18). This is a broad-spectrum antibody, which has been reported to differentiate epithelial tumors from non-epithelial tumors. Many studies have shown the	
Applications Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Immunogen	Keratin-enriched preparation from cultured human epithelial cells	
Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Product Application Details		
Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Applications	Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready,	
Application Notes	Recommended Dilutions	Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence,	
Optimal dilution of this antibody should be experimentally determined.	Application Notes	Optimal dilution of this antibody should be experimentally determined.	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-47669H

NBP1-43319H-0.5ml Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [HRP]

DNST0 Endostatin [HRP]

MAB1455 Albumin Antibody (188835) [Unconjugated] - Serum

NB100-687 Cytokeratin 19 Antibody - BSA Free

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47669H

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

