# **Product Datasheet**

# MUC2 Antibody (MLP/842) - Azide and BSA Free NBP2-47685-0.1mg

Unit Size: 0.1 mg

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47685

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47685



# NBP2-47685-0.1mg


MUC2 Antibody (MLP/842) - Azide and BSA Free

| MUC2 Antibody (MLP/842) - Azide and BSA Free |   |
|--|---|
| Product Information                          |   |
| Unit Size                                    | 0.1 mg  |
| Concentration                                | 1.0 mg/ml   |
| Storage                                      | Store at -20 to -80C. Avoid freeze-thaw cycles.   |
| Clonality                                    | Monoclonal  |
| Clone  | MLP/842   |
| Preservative                                 | No Preservative   |
| Isotype                                      | IgG1 Kappa  |
| Purity                                       | Protein A or G purified   |
| Buffer                                       | 10 mM PBS   |
| Target Molecular Weight                      | 520 kDa   |
| Product Description                          |   |
| Description                                  | 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP2-44431).  Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80 C.  |
| Host   | Mouse   |
| Gene ID                                      | 4583  |
| Gene Symbol                                  | MUC2  |
| Species                                      | Human, Rat (Negative)   |
| Reactivity Notes                             | Does not react with Rat.  |
| Specificity/Sensitivity                      | Recognizes a single glycoprotein of 520kDa, identified as mucin 2 (MUC2). This monoclonal antibody shows no cross-reaction with human milk fat globule membranes, MUC1, or MUC3. Mucins are high molecular weight glycoproteins, which constitute the major component of the mucus layer that protects the gastric epithelium.MUC2 is specifically expressed in goblet cells of the small intestine in about 65% of colonic carcinomas and about 40% of gastric carcinomas. MUC2 is rarely expressed outside of the GI tract with the exceptions of mucinous carcinoma of breast and clear cell-type carcinomas of the ovary. |
| Immunogen                                    | Recombinant fragment covering tandem repeats of human MUC2 protein (exact sequence is proprietary) (Uniprot: Q02817)  |
| Product Application Details                  |   |
| Applications                                 | Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence   |
| Recommended Dilutions                        | Flow Cytometry 0.5 - 1 ug/million cells in 0.1 ml, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 0.5 - 1.0 ug/ml, Immunofluorescence 1 - 2 ug/ml, CyTOF-ready  |
| Application Notes                            | Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.   |




## **Images**

Immunohistochemistry-Paraffin: MUC2 Antibody (MLP/842) - Azide and BSA Free [NBP2-47685] - Human Colon Carcinoma stained with MUC2 Monoclonal Antibody (MLP/842).



Immunohistochemistry-Paraffin: MUC2 Antibody (MLP/842) - Azide and BSA Free [NBP2-47685] - Formalin-fixed, paraffin-embedded human Colon Carcinoma stained with MUC2 Antibody (MLP/842).





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP2-47685-0.1mg

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

210-TA-005 TNF-alpha [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47685

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

