## **Product Datasheet**

### SOX10 Antibody (SPM607) [Alexa Fluor® 488] NBP2-47708AF488

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47708AF488

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47708AF488



#### NBP2-47708AF488

SOX10 Antibody (SPM607) [Alexa Fluor® 488]

Unit Size         0.1 ml           Concentration         Please see the vial label for concentration. If unlisted please contact technical services.           Storage         Store at 4C in the dark.           Clonality         Monoclonal           Clone         SPM607           Preservative         0.05% Sodium Azide           Isotype         IgG2b Kappa           Conjugate         Alexa Fluor 488           Purity         Protein A or G purified           Buffer         50mM Sodium Borate           Product Description         6663           Gene ID         6663           Gene Symbol         SOX10           Species         Human           Marker         Melanoma Marker           Specificity/Sensitivity         Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-to manualian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desumplastic subtypes. It is expressed to metanatian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desumplastic subtypes. It is expressed to the mat				
Concentration         Please see the vial label for concentration. If unlisted please contact technical services.           Storage         Store at 4C in the dark.           Clonality         Monoclonal           Clone         SPM607           Preservative         0.05% Sodium Azide           Isotype         IgG2b Kappa           Conjugate         Alexa Fluor 488           Purity         Protein A or G purified           Buffer         50mM Sodium Borate           Product Description         Mouse           Gene ID         6663           Gene Symbol         SOX10           Species         Human           Marker         Melanoma Marker           Specificity/Sensitivity         Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensible marker on tealoma, including conventional, spindled, and desmoplastic melanomas while SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing resi	Product Information			
services.StorageStore at 4C in the dark.ClonalityMonoclonalCloneSPM607Preservative0.05% Sodium AzideIsotypeIgG2b KappaConjugateAlexa Fluor 488PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct Description6663Gene ID6663Gene SymbolSOX10SpeciesHumanMarkerMelanoma MarkerSpecificity/SensitivityRecognizes a protein of -55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- tamily. SOX genes comprise a family of genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentile lymph nodes, but not by other upmh node components such as dentified cells, which usually express S100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. Relancyctes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 is expression is also observed in mast cells.ImmunogenRecombinant fragment (can 115-269) of human SOX10 protein with hexa-	Unit Size	0.1 ml		
Clonality       Monoclonal         Clone       SPM607         Preservative       0.05% Sodium Azide         Isotype       IgG2b Kappa         Conjugate       Alexa Fluor 488         Purity       Protein A or G purified         Buffer       50mM Sodium Borate         Product Description       Host         Host       Mouse         Gene ID       6663         Gene Symbol       SOX10         Species       Human         Marker       Melanoma Marker         Specificity/Sensitivity       Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences beactific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanoma, solution by other lymph node components such as dendritic cells, which usually express 5100 protein. Commonly used melanoma markers, such as anti-HIMB-45 and anti-Melan-A, are poorly expressed in desmoplastic melanomas SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker cells.         Immunogen       Recombinant fragment (aa 115-269) of human SOX10 protein with hexa-	Concentration			
CloneSPM607Preservative0.05% Sodium AzideIsotypeIgG2b KappaConjugateAlexa Fluor 488PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct Description6663HostMouseGene ID6663Gene SymbolSOX10SpeciesHumanMarkerMelanoma MarkerSpecificity/SensitivityRecognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express \$100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas.	Storage	Store at 4C in the dark.		
Preservative       0.05% Sodium Azide         Isotype       IgG2b Kappa         Conjugate       Alexa Fluor 488         Purity       Protein A or G purified         Buffer       50mM Sodium Borate         Product Description       Host         Host       Mouse         Gene ID       6663         Gene Symbol       SOX10         Species       Human         Marker       Melanoma Marker         Specificity/Sensitivity       Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-tamily. SOX genes comprise a family of genes that are related to the mammalian sex-determining genes SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express S100 protein. Commonly used melanoma markers, such as anti-IMB-45 and anti-Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.	Clonality	Monoclonal		
Isotype       IgG2b Kappa         Conjugate       Alexa Fluor 488         Purity       Protein A or G purified         Buffer       50mM Sodium Borate         Product Description       Host         Host       Mouse         Gene ID       6663         Gene Symbol       SOX10         Species       Human         Marker       Melanoma Marker         Specificity/Sensitivity       Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-tamily. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as denditic cells, which usually express S100 protein. Commonly used melanoma markers, such as anti-IMB-45 and anti-Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable	Clone	SPM607		
ConjugateAlexa Fluor 488PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID6663Gene SymbolSOX10SpeciesHumanMarkerMelanoma MarkerSpecificity/SensitivityRecognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express \$100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti-Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas is observed in mast cells.ImmunogenRecombinant fragment (aa 115-269) of human SOX10 protein with hexa-	Preservative	0.05% Sodium Azide		
Purity       Protein A or G purified         Buffer       50mM Sodium Borate         Product Description       Host         Host       Mouse         Gene ID       6663         Gene Symbol       SOX10         Species       Human         Marker       Melanoma Marker         Specificity/Sensitivity       Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express S100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti-Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.	Isotype	IgG2b Kappa		
Buffer       50mM Sodium Borate         Product Description       Mouse         Host       Mouse         Gene ID       6663         Gene Symbol       SOX10         Species       Human         Marker       Melanoma Marker         Specificity/Sensitivity       Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express S100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti-Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.	Conjugate	Alexa Fluor 488		
Product Description         Host       Mouse         Gene ID       6663         Gene Symbol       SOX10         Species       Human         Marker       Melanoma Marker         Specificity/Sensitivity       Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express \$100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti-Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mats cells.	Purity	Protein A or G purified		
HostMouseGene ID6663Gene SymbolSOX10SpeciesHumanMarkerMelanoma MarkerSpecificity/SensitivityRecognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express S100 protein. Commonly used melanoma marker, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in Schwann cells, melanocytes, and mycepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.ImmunogenRecombinant fragment (aa 115-269) of human SOX10 protein with hexa-	Buffer	50mM Sodium Borate		
Gene ID6663Gene SymbolSOX10SpeciesHumanMarkerMelanoma MarkerSpecificity/SensitivityRecognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express \$100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.ImmunogenRecombinant fragment (aa 115-269) of human SOX10 protein with hexa-	Product Description			
Gene SymbolSOX10SpeciesHumanMarkerMelanoma MarkerSpecificity/SensitivityRecognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express \$100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.ImmunogenRecombinant fragment (aa 115-269) of human SOX10 protein with hexa-	Host	Mouse		
SpeciesHumanMarkerMelanoma MarkerSpecificity/SensitivityRecognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express S100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.ImmunogenRecombinant fragment (aa 115-269) of human SOX10 protein with hexa-	Gene ID	6663		
MarkerMelanoma MarkerSpecificity/SensitivityRecognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express S100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.ImmunogenRecombinant fragment (aa 115-269) of human SOX10 protein with hexa-	Gene Symbol	SOX10		
Specificity/SensitivityRecognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express \$100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.ImmunogenRecombinant fragment (aa 115-269) of human SOX10 protein with hexa-	Species	Human		
<ul> <li>is highly specific and does not cross-react with other members of the SOX-family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express S100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti-Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.</li> <li>Immunogen</li> </ul>	Marker	Melanoma Marker		
	Specificity/Sensitivity	is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express S100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas while SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10		
	Immunogen			

www.novusbio.com



	5
Notes	Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence
Recommended Dilutions	Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready

Optimal dilution of this antibody should be experimentally determined.

Application Notes

#### Images

Product Image: SOX10 Antibody (SPM607) [Alexa Fluor® 488] [NBP2-47708AF488] - Vial of Alexa Fluor 488 conjugated antibody. Alexa Fluor 488 is optimally excited at 490 nm by the Blue laser (488 nm) and has an emission maximum of 525 nm.

www.novusbio.com

	Alexa Fluo		
	Alexa Fluc	JI~ 400	
	LASER (nm)	FILTER	
Allexa Fluor <sup>e 488</sup>	Blue (488)	525/50	
Hexa Fluore 4			
	EXCITATION MAX (rm)	EMISSION MAX (nm)	
N 1	490	525	
C NOVUS			
CAUTION Recoards the Con			





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-47708AF488

NBP1-43317AF488Mouse IgG2b Kappa Light Chain Isotype Control (MG2b) [Alexa Fluor®<br/>488]H00006663-Q01-10ugRecombinant Human SOX10 GST (N-Term) Protein212-GD-010GDNF [Unconjugated]NBL1-16344SOX10 Overexpression Lysate

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47708AF488

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

