Product Datasheet

HLA DRA Antibody (169-1B5.2) [Allophycocyanin] NBP2-47722APC

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Reviews: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47722APC

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47722APC



NBP2-47722APC

Application Notes


| HLA DRA Antibody (169-1B5.2) [Allophycocyanin] | |
|--|--|
| Product Information | |
| Unit Size | 0.1 ml |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 4C in the dark. |
| Clonality | Monoclonal |
| Clone | 169-1B5.2 |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG2b Kappa |
| Conjugate | Allophycocyanin |
| Purity | Protein A or G purified |
| Buffer | PBS |
| Product Description | |
| Description | This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. |
| Host | Mouse |
| Gene ID | 3122 |
| Gene Symbol | HLA-DRA |
| Species | Human, Bovine, Feline |
| Specificity/Sensitivity | This antibody detects a monomorphic general framework determinant of HLA-DR Class II antigen. It does not cross react with HLA-DP and HLA-DQ. HLA-DR is a heterodimeric cell surface glycoprotein comprised of a 36kDa alpha (heavy) chain and a 28kDa beta (light) chain. It is expressed on B-cells, activated T-cells, monocytes/macrophages, dendritic cells and other non-professional APCs. In conjunction with the CD3/TCR complex and CD4 molecules, HLA-DR is critical for efficient peptide presentation to CD4+ T cells. It is an excellent histiocytic marker in paraffin sections producing intense cytoplasmic staining. True histiocytic neoplasms are similarly positive. HLA-DR antigens also occur on a variety of epithelial cells and their corresponding neoplastic counterparts. |
| Immunogen | Human peripheral blood leukocytes (Uniprot: P01903) |
| Product Application Details | |
| Applications | Flow Cytometry, Immunocytochemistry/ Immunofluorescence, CyTOF-ready, Immunofluorescence |
| Recommended Dilutions | Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunofluorescence, CyTOF-ready |
| | |




Optimal dilution of this antibody should be experimentally determined.

Images

Flow Cytometry: HLA DRA Antibody (169-1B5.2) [Allophycocyanin] [NBP2-47722APC] - A surface stain was performed on human peripheral blood lymphocytes with HLA DRA (169-1B5.2) antibody NBP2-47722APC and a matched isotype control NBP2-27231APC. Cells were incubated in an antibody dilution of 0.5 ug/mL for 20 minutes at room temperature. A co-stain was performed with NBP2-26646.



Flow Cytometry: HLA DRA Antibody (169-1B5.2) [Allophycocyanin] [NBP2-47722APC] - Canine whole blood cells, image courtesy of customer.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-47722APC

NBP1-43317APC Mouse IgG2b Kappa Light Chain Isotype Control (MG2b)

[Allophycocyanin]

NBP2-51601-0.1mg Recombinant Human HLA DRA His Protein

210-TA-005 TNF-alpha [Unconjugated]

NBL1-11590 HLA DRA Overexpression Lysate

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47722APC

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

