# **Product Datasheet**

# Glypican 3 Antibody (1G12) [Alexa Fluor® 532] NBP2-47760AF532

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47760AF532

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-47760AF532



# NBP2-47760AF532

Glypican 3 Antibody (1G12) [Alexa Fluor® 532]

| Crypteur o Artibody (1012) [Alexa Fidel © 332] |   |
|--|---|
| Product Information                            |   |
| Unit Size                                      | 0.1 ml  |
| Concentration                                  | Please see the vial label for concentration. If unlisted please contact technical services.   |
| Storage  | Store at 4C in the dark.  |
| Clonality                                      | Monoclonal  |
| Clone  | 1G12  |
| Preservative                                   | 0.05% Sodium Azide  |
| Isotype  | IgG1 Kappa  |
| Conjugate                                      | Alexa Fluor 532   |
| Purity   | Protein A or G purified   |
| Buffer   | 50mM Sodium Borate  |
| Product Description                            |   |
| Host   | Mouse   |
| Gene ID  | 2719  |
| Gene Symbol                                    | GPC3  |
| Species  | Human   |
| Marker   | Hepatocellular Carcinoma Marker   |
| Specificity/Sensitivity                        | Glypican-3 (GPC3) is a glycosylphospatidyl inositol-anchored membrane protein, which may also be found in a secreted form. Anti-GPC3 has been identified as a useful tumor marker for the diagnosis of hepatocellular carcinoma (HCC), hepatoblastoma, melanoma, testicular germ cell tumors, and Wilms tumor and hepatoblastoma, with a low or undetectable expression in normal adjacent tissue. In patients with thyroid cancer, expression of GPC3 is dramatically enhanced in certain types of cancers: 100% in follicular carcinoma and 70% in papillary carcinoma. Expression of GPC3 in follicular carcinoma is significantly higher than that of follicular adenoma. In contrast, GPC3 is not expressed in anaplastic carcinoma. |
| Immunogen                                      | A recombinant fragment containing amino acids 511-580 of human Glypican 3   |



(Uniprot: P51654)

#### Notes

Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.

| <b>Product Application Details</b> |   |
|------------------------------------|---|
| Applications                       | Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence       |
| Recommended Dilutions              | Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/<br>Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence,<br>CyTOF-ready |
| Application Notes                  | Optimal dilution of this antibody should be experimentally determined.  |





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP2-47760AF532

NBP1-85226PEP Glypican 3 Recombinant Protein Antigen 233-FB-025 FGF basic/FGF2/bFGF [Unconjugated]

2119-GP-050/CF Glypican 3 [Unconjugated]

MAB1368 alpha-Fetoprotein/AFP Antibody (189502) [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47760AF532

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

