## **Product Datasheet**

### Laminin gamma 1 Antibody (A5) [CoraFluor™ 1] NBP2-47842CL1

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47842CL1

Updated 10/22/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47842CL1



#### NBP2-47842CL1

Laminin gamma 1 Antibody (A5) [CoraFluor™ 1]

| Product Information     |   |  |
|-------------------------|---|--|
| Unit Size               | 0.1 ml  |  |
| Concentration           | Please see the vial label for concentration. If unlisted please contact technical services.   |  |
| Storage                 | Store at 4C in the dark. Do not freeze.   |  |
| Clonality               | Monoclonal  |  |
| Clone                   | A5  |  |
| Preservative            | No Preservative   |  |
| Isotype                 | IgG2a Kappa   |  |
| Conjugate               | CoraFluor 1   |  |
| Purity                  | Protein A or G purified   |  |
| Buffer                  | PBS   |  |
| Product Description     |   |  |
| Description             | CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.   |  |
| Host                    | Rat   |  |
| Gene ID                 | 3915  |  |
| Gene Symbol             | LAMC1   |  |
| Species                 | Human, Mouse, Bovine  |  |
| Reactivity Notes        | Bovine reported by a verified customer review.  |  |
| Specificity/Sensitivity | Laminins are large hetero-trimeric, non-collagenous glycoproteins composed of alpha, beta, and gamma chains. This monoclonal antibody reacts with laminin B2/1 chain of ~210kDa and does not cross-react with other basement membrane components or fibronectin. Its specificity was established by immunoprecipitation and immunofluorescence of human skeletal muscle and kidney with laminin chain-specific monoclonal antibodys. Epithelial sheets in vivo are separated from the mesenchymal elements of the stroma by a thin layer of a specialized type of extracellular matrix termed the basement membrane (BM). This structure consists of individual components, some of which are ubiquitous in BMs and some are not. The ubiquitous ones comprise laminin (LN), entactin/nidogen (EN), collagen type IV (CIV), and large heparan sulfate proteoglycan (HSPG), which interact specifically with each other to form a continuous and regular BM. Alterations of BM integrity, from local discontinuities up to complete loss, are described in many types of human and animal epithelial neoplasms. This monoclonal antibody stains uniformly all human and murine basement membranes. |  |
| Immunogen               | Murine EHS laminin preparation  |  |
| Notes                   | CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254   |  |



| Product Application Details |   |
|-----------------------------|---|
| Applications                | Flow Cytometry, Immunocytochemistry/ Immunofluorescence,<br>Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-<br>Paraffin, CyTOF-ready, Immunofluorescence |
| Recommended Dilutions       | Flow Cytometry, Immunohistochemistry, Immunocytochemistry/<br>Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-<br>Frozen, Immunofluorescence, CyTOF-ready |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined.  |





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-47842CL1

| H00003915-P01-10ug | Recombinant Human Laminin gamma 1 GST (N-Term) Protein |
|--------------------|--|
| 233-FB-025         | FGF basic/FGF2/bFGF [Unconjugated]                     |
| NBL1-12430         | Laminin gamma 1 Overexpression Lysate                  |
| NB300-144          | Laminin Antibody                                       |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47842CL1

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

