Product Datasheet Bcl-2 Antibody (BCL2/796) [HRP] NBP2-47852H

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47852H

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47852H



NBP2-47852H

Bcl-2 Antibody (BCL2/796) [HRP]

Unit Size0.1 mlConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C in the dark.ClonalityMonoclonalCloneBCL2/796		
services. Storage Clonality		
Clonality Monoclonal		
Clone BCL2/796		
Preservative No Preservative		
Isotype IgG1 Kappa		
Conjugate HRP		
Purity Protein A or G purified		
Buffer PBS		
Product Description		
Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit siz stated on the datasheet.		
Host Mouse		
Gene ID 596		
Gene Symbol BCL2		
Species Human		
Marker Apoptosis & Follicular Lymphoma Marker		
Specificity/Sensitivity This antibody recognizes a protein of 25-26kDa, identified as the Bcl-2 alpha oncoprotein. It shows no cross-reaction with Bcl-x or Bax protein. Expression Bcl-2 alpha oncoprotein inhibits the programmed cell death (apoptosis). In more follicular lymphomas, neoplastic germinal centers express high levels of Bcl-2 alpha protein, whereas the normal or hyperplastic germinal centers are negative. Consequently, this antibody is valuable when distinguishing between reactive and neoplastic follicular proliferation in lymph node biopsies. It may also be us in distinguishing between those follicular lymphomas that express Bcl-2 protein and the small number in which the neoplastic cells are Bcl-2 negative.	ost ive. sed	
Immunogen Recombinant full-length human bcl-2 protein (Uniprot: P10415)		
Product Application Details		
Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin		
Recommended Dilutions Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin		
Application NotesOptimal dilution of this antibody should be experimentally determined.		

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-47852H

NBP1-43319H-0.5ml	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [HRP]
NBP2-34889-100ug	Recombinant Human Bcl-2 Protein
210-TA-005	TNF-alpha [Unconjugated]
DYC827B-2	Bcl-2 [Biotin]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47852H

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

