Product Datasheet CD34 Antibody (HPCA1/1171) [DyLight 650] NBP2-47911C

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47911C

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47911C



NBP2-47911C

CD34 Antibody (HPCA1/1171) [DyLight 650]

Unit Size 0.1 ml Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone HPCA/11171 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 650 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 947 Gene Symbol CD34 Species Human, Rat Marker Hematopoietic Stem Cell & Endothelial Marker Specificity/Sensitivity This antibody recognizes a carbohydrate epitope on a single chain, transmembrane, heavily glycosylated protein of 90-120KDa, which is identified as CD34 (V) intervational workshop on human differentiation antigens). Is expression is a hallmark for identifying pluripotent hematopoietic stem or progenitor cells. It servession is a solitary fibrous tumor and gastrointestinal stromal tumor. CD34 expression is a solitary fibrous tumor and gastrointestinal stromal tumor. CD34 expression is a solita	Product Information	
services. Storage Store at 4C in the dark. Clonality Monoclonal Clone HPCA1/1171 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 650 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 947 Genes Symbol CD34 Species Human, Rat Marker Hematopoietic Stem Cell & Endothelial Marker Specificity/Sensitivity This antibody recognizes a carbohydrate epitope on a single chain, ttransmembrane, heavily glycosylated protein of 90-120kDa, which is identified as cD34 (VI international workshop on human differentiation antigens). Its expression is a hallmark for identifying puripotent hematopoletic stem or progenitor cells. Its expressed by soft tissue tumors, such as solitary fibrox as and the non-proliferating endothelial cells. Anti-CD34 labels 85% of anglosarcoma and Kaposis sarcoma, but shows low specificity. Immunogen Recombinant full-length human CD34 protein (U	Unit Size	0.1 ml
Clonality Monoclonal Clone HPCA1/1171 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 650 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 947 Gene Symbol CD34 Species Human, Rat Marker Hematopoietic Stem Cell & Endothelial Marker Specificity/Sensitivity This antibody recognizes a carbohydrate epitope on a single chain, transmembrane, heavily glycosylated protein of 90-120kDa, which is identified as CD34 (V) intermational workshop on human differentiation antigens). Its expression is a raker of choice for staining black as a loneage committed progenitors differentiate. CD34 is a marker of choice for staining black as a solitary fibrous turn and gastrointestinal stromat turnor. CD34 expression is a lato found in vascular endothelian ally, proliferating endothelial cells overexpress this molecule than the non-proliferating endothelial cells. Anti-CD34 labels 85% of anglosarcoma and Kaposis sarcoma, but shows low specificity. Immunogen Recombinant full-length human CD34 protein (Uniprot: P28906)	Concentration	•
Clone HPCA1/1171 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 650 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 947 Gene Symbol CD34 Species Human, Rat Marker Hematopoietic Stem Cell & Endothelial Marker Specificity/Sensitivity This antibody recognizes a carbohydrate epitope on a single chain, transmetrane, heavily glycosylated protein of 90-210XDRa, which is identified as CD34 (VI international workshop on human differentiation antigens). Its expression is a hallmark for identifying pluripotent hematopoietic stem or progrenitor cells. Its expression is gradually lost as lineage committed progenitors differentiate. CD34 is a marker of choice for staining that. ICD34 labels 85% of angustre endothelium. Additionally, proliferating endothelial cells overexpress time for actile and the 200 setting. Immunogen Recombinant full-length human CD34 protein (Uniprot: P28906) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product	Storage	Store at 4C in the dark.
Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 650 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated ovolume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 947 Gene Symbol CD34 Species Human, Rat Marker Hematopoietic Stem Cell & Endothelial Marker Specificity/Sensitivity This antibody recognizes a carbohydrate epitope on a single chain, triasmembrane, heavily glycosylated protein of 90-120kDa, which is identified as CD34 (VI) international workshop on human differentiation antigens). Its expression is a Hallmark for identifying pluripotent hematopoietic stem or progenitor cells. Its expression is gradually lost as lineage committed progenitors differentiate. CD34 vis a marker of choice for staining blasts in acute myeloid navacular endothelium. Additionally, prolerating endothelial cells. Anti-CD34 valabels 85% of angiosarcoma and Kaposis sarcoma, but shows by specificity. Immunogen Recombinant full-length human CD34 protein (Uniprot: P28906) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details	Clonality	Monoclonal
isotype IgG1 Kappa Conjugate DyLight 650 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 947 Gene Symbol CD34 Species Human, Rat Marker Hematopoietic Stem Cell & Endothelial Marker Specificity/Sensitivity This antibody recognizes a carbohydrate epitope on a single chain, transmerbrane, heavily glycosylated protein of 90-120kDa, which is identified as CD34 (U international workshop on human differentiation antigens). Its expression is a hallmark for identifying plusits in acute myeloid leukemia. In addition, it is expressed by soft tissue turnors, such as solitary fibrous tumor and gastrointestinal stromal turmor. CD34 expression is also found in vascular endothelium. Additionally, proliferating endothelial cells. Anti-CD34 tables 85% of angiosarcoma and Kaposis sarcoma, but shows low specificity. Immunogen Recombinant full-length human CD34 protein (Uniprot: P28906) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-	Clone	HPCA1/1171
Conjugate DyLight 650 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 947 Gene Symbol CD34 Species Human, Rat Marker Hematopoietic Stem Cell & Endothelial Marker Specificity/Sensitivity This antibody recognizes a carbohydrate epitope on a single chain, transmebrane, heavily glycosylated protein of 90-120kDa, which is identified as CD34 (VI international workshop on human differentiation antigens). Its expression is a hallmark for identifying pluripotent hematopoietic stem or progenitor cells. Its expression is gradually lost as lineage committed progenitors differentiate. CD34 (v2 international workshop on human differentiation antigens). Its expression is gradually lost as in acute myeloid leukemia. In addition, it is expressed by soft tissue turnors, such as solitary fibrous turnor and gastrointestinal stroma, LoD34 expression is also found in vascular endothelium. Additionally, proliferating endothelial cells. Anti-CD34 labels 85% or angiosarcoma and Kaposis sarcoma, but shows low specificity. Immunogen Recombinant full-length human CD34 protein (Uniprot: P28906) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. <tr< th=""><th>Preservative</th><th>0.05% Sodium Azide</th></tr<>	Preservative	0.05% Sodium Azide
Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 947 Gene Symbol CD34 Species Human, Rat Marker Hematopoietic Stem Cell & Endothelial Marker Specificity/Sensitivity This antibody recognizes a carbohydrate epitope on a single chain, transmembrane, heavily glycosylated protein of 90-120KDa, which is identified as CD34 (VI international workshop on human differentiation antigens). Its expression is a hallmark for identifying pluripotent hematopoietic stem or progenitor cells. Its expression is gradually lost as lineage committed progenitors differentiate. CD34 (vI international workshop on human differentiatic cD34 is an marker of choice for staining blasts in acute myeloid leukemia. In addition, It is expressed by soft tissue turnors, such as solitary fibrous turnor and gastrointestinal stroma. DD34 expression is also found fibrous turnor and gastroindestis as stromage turnors, such as solitary dibrous turnor and gastroindestis ancute myeloid Immunogen Recombinant full-length human CD34 protein (Uniprot: P28906) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Immunocytochemistry-Pa	Isotype	IgG1 Kappa
Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 947 Gene Symbol CD34 Species Human, Rat Marker Hematopoietic Stem Cell & Endothelial Marker Specificity/Sensitivity This antibody recognizes a carbohydrate epitope on a single chain, transmembrane, heavily glycosylated protein of 90-120kDa, which is identified as CD34 (VI international workshop on human differentiation antigens). Its expression is a hallmark for identifying pluripotent hematopoietic stem or progenitor cells. Its expression is gradually lost as lineage committed progenitors differentiate. CD34 is a marker of choice for staining blasts in acute myeloid leukemia. In addition, it is expressed by soft tissue tumors, such as solitary librous tumor and gastrointestinal stromal tumor. CD34 expression is also found in vascular endothelium. Additionally, proliferating endothelial cells. Anti-CD34 labels 85% of angiosarcoma and Kaposis sarcoma, but shows low specificity. Immunogen Recombinant full-length human CD34 protein (Uniprot: P28906) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence, CyTOF-ready	Conjugate	DyLight 650
Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 947 Gene Symbol CD34 Species Human, Rat Marker Hematopoietic Stem Cell & Endothelial Marker Specificity/Sensitivity This antibody recognizes a carbohydrate epitope on a single chain, transmembrane, heavily glycosylated protein of 90-120kDa, which is identified as CD34 (VI international workshop on human differentiation antigens). Its expression is a hallmark for identifying pluripotent hematopoietic stem or progenitor cells. Its expression is gradually lost as lineage committed progenitors differentiate. CD34 is narker of choice for staining blats in accute myeloid leukemia. In addition, it is expressed by soft tissue tumors, such as solitary fibrous tumor and gastrointestinal stromal tumor. CD34 expression is a lails of ound in vascular endotheliun. Additionally, proliferating endothelial cells. Anti-CD34 labels 85% of angiosarcoma and Kaposis sarcoma, but shows low specificity. Immunogen Recombinant full-length human CD34 protein (Uniprot: P28906) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence, CyTOF-ready	Purity	Protein A or G purified
DescriptionThis conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.HostMouseGene ID947Gene SymbolCD34SpeciesHuman, RatMarkerHematopoietic Stem Cell & Endothelial MarkerSpecificity/SensitivityThis antibody recognizes a carbohydrate epitope on a single chain, transmembrane, heavily glycosylated protein of 90-120KDa, which is identified as CD34 (Liternational workshop on human differentiation antigens). Its expression is a hallmark for identifying pluripotent hematopoietic stem or progenitor cells. Its expression is gradually lost as lineage committed progenitors differentiate. CD34 is a marker of choice for staining blasts in acute myeloid leukemia. In addition, It is expressed by soft tissue tumors, such as solitary fibrous tumor and gastrointestinal stromal tumor. CD34 expression is also found in vascular endothelium. Additionally, proliferating endothelial cells overexpress this molecule than the non-proliferating endothelial cells overexpress this molecule than the non-proliferating endothelial cells overexpress this molecule than the non-D34 protein (Uniprot: P28906)NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, Flow Cytometry, Immunohistochemistry-Paraffin, CyTOF-ready, ImmunofluorescenceRecommended DilutionsWestern Blot, Flow Cytometry, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Buffer	50mM Sodium Borate
volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.HostMouseGene ID947Gene SymbolCD34SpeciesHuman, RatMarkerHematopoietic Stem Cell & Endothelial MarkerSpecificity/SensitivityThis antibody recognizes a carbohydrate epitope on a single chain, transmembrane, heavily glycosylated protein of 90-120kDa, which is identified as CD34 (VI international workshop on human differentiation antigens). Its expression is a hallmark for identifying pluripotent hematopoietic stem or progenitor cells. Its expression is gradually lost as lineage committed progenitors differentiate. CD34 is a marker of choice for staining blasts in acute myeloid leukemia. In addition, it is expression is also found in vascular endothelium. Additionally, proliferating endothelial cells overexpress this molecule than the non-proliferating endothelial cells. Anti-CD34 labels 85% of angiosarcoma and Kaposis sarcoma, but shows low specificity.ImmunogenRecombinant full-length human CD34 protein (Uniprot: P28906)NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, ImmunofluorescenceWestern Blot, Flow Cytometry, Immunohistochemistry, Immunofluorescence, CyTOF-ready.	Product Description	
Gene ID 947 Gene Symbol CD34 Species Human, Rat Marker Hematopoietic Stem Cell & Endothelial Marker Specificity/Sensitivity This antibody recognizes a carbohydrate epitope on a single chain, transmembrane, heavily glycosylated protein of 90-120kDa, which is identified as CD34 (VI international workshop on human differentiation antigens). Its expression is a hallmark for identifying pluripotent hematopoietic stem or progenitor cells. Its expression is gradually lost as lineage committed progenitors differentiate. CD34 is a marker of choice for staining blasts in acute myeloid leukemia. In addition, it is expressed by soft tissue tumors, such as solitary fibrous tumor and gastrointestinal stromal tumor. CD34 expression is also found in vascular endothelium. Additionally, proliferating endothelial cells overexpress this molecule than the non-proliferating endothelial cells. Anti-CD34 labels 85% of angiosarcoma and Kaposis sarcoma, but shows low specificity. Immunogen Recombinant full-length human CD34 protein (Uniprot: P28906) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry. Immunofluorescence, Immunohistochemistry. Immunocytochemistry/ Immunofluorescence, CyTOF-ready. Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry. Immunocytochemistry/	Description	volume of this product. The volume will be greater than or equal to the unit size
Gene SymbolCD34SpeciesHuman, RatMarkerHematopoietic Stem Cell & Endothelial MarkerSpecificity/SensitivityThis antibody recognizes a carbohydrate epitope on a single chain, transmembrane, heavily glycosylated protein of 90-120kDa, which is identified as CD34 (VI international workshop on human differentiation antigens). Its expression is a hallmark for identifying pluripotent hematopoietic stem or progenitor cells. Its expression is gradually lost as lineage committed progenitors differentiate. CD34 is a marker of choice for staining blasts in acute myeloid leukemia. In addition, it is expressed by soft tissue tumors, such as solitary fibrous tumor and gastrointestinal stromal tumor. CD34 expression is also found in vascular endothelium. Additionally, proliferating endothelial cells overexpress this molecule than the non-proliferating endothelial cells. Anti-CD34 labels 85% of angiosarcoma and Kaposis sarcoma, but shows low specificity.ImmunogenRecombinant full-length human CD34 protein (Uniprot: P28906)NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunofluorescence, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence, CyTOF-readyRecommended DilutionsWestern Blot, Flow Cytometry, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Host	Mouse
Species Human, Rat Marker Hematopoietic Stem Cell & Endothelial Marker Specificity/Sensitivity This antibody recognizes a carbohydrate epitope on a single chain, transmembrane, heavily glycosylated protein of 90-120kDa, which is identified as CD34 (VI international workshop on human differentiation antigens). Its expression is a hallmark for identifying pluripotent hematopoietic stem or progenitor cells. Its expression is gradually lost as lineage committed progenitors differentiate. CD34 is a marker of choice for staining blasts in acute myeloid leukemia. In addition, it is expressed by soft lissue tumors, such as solitary fibrous tumor and gastrointestinal stromal tumor. CD34 expression is also found in vascular endothelium. Additionally, proliferating endothelial cells. Anti-CD34 labels 85% of angiosarcoma and Kaposis sarcoma, but shows low specificity. Immunogen Recombinant full-length human CD34 protein (Uniprot: P28906) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunofluorescence Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence, CyTOF-ready	Gene ID	947
Marker Hematopoietic Stem Cell & Endothelial Marker Specificity/Sensitivity This antibody recognizes a carbohydrate epitope on a single chain, transmembrane, heavily glycosylated protein of 90-120kDa, which is identified as CD34 (VI international workshop on human differentiation antigens). Its expression is a hallmark for identifying pluripotent hematopoietic stem or progenitor cells. Its expression is gradually lost as lineage committed progenitors differentiate. CD34 is a marker of choice for staining blasts in acute myeloid leukemia. In addition, it is expressed by soft tissue tumors, such as solitary fibrous tumor and gastrointestinal stromal tumor. CD34 expression is also found in vascular endothelium. Additionally, proliferating endothelial cells. Anti-CD34 labels 85% of angiosarcoma and Kaposis sarcoma, but shows low specificity. Immunogen Recombinant full-length human CD34 protein (Uniprot: P28906) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunofluorescence Western Blot, Flow Cytometry, Immunohistochemistry. Paraffin, CyTOF-ready, Immunofluorescence, Immunohistochemistry. Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry. Paraffin, Immunofluorescence, CyTOF-ready	Gene Symbol	CD34
Specificity/SensitivityThis antibody recognizes a carbohydrate epitope on a single chain, transmembrane, heavily glycosylated protein of 90-120kDa, which is identified as CD34 (VI international workshop on human differentiation antigens). Its expression is a hallmark for identifying pluripotent hematopoietic stem or progenitor cells. Its expression is gradually lost as lineage committed progenitors differentiate. CD34 is a marker of choice for staining blasts in acute myeloid leukemia. In addition, it is expressed by soft tissue tumors, such as solitary fibrous tumor and gastrointestinal stromal tumor. CD34 expression is also found in vascular endothelium. Additionally, proliferating endothelial cells overexpress this molecule than the non-proliferating endothelial cells. Anti-CD34 labels 85% of angiosarcoma and Kaposis sarcoma, but shows low specificity.ImmunogenRecombinant full-length human CD34 protein (Uniprot: P28906)NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, ImmunofluorescenceRecommended DilutionsWestern Blot, Flow Cytometry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Species	Human, Rat
transmembrane, heavily glycosylated protein of 90-120kDa, which is identified as CD34 (VI international workshop on human differentiation antigens). Its expression is a hallmark for identifying pluripotent hematopoietic stem or progenitor cells. Its expression is gradually lost as lineage committed progenitors differentiate. CD34 is a marker of choice for staining blasts in acute myeloid leukemia. In addition, it is expressed by soft tissue tumors, such as solitary fibrous tumor and gastrointestinal stromal tumor. CD34 expression is also found in vascular endothelium. Additionally, proliferating endothelial cells overexpress this molecule than the non-proliferating endothelial cells. Anti-CD34 labels 85% of angiosarcoma and Kaposis sarcoma, but shows low specificity.ImmunogenRecombinant full-length human CD34 protein (Uniprot: P28906)NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, ImmunofluorescenceRecommended DilutionsWestern Blot, Flow Cytometry, Immunohistochemistry, Paraffin, CyTOF-ready, Immunofluorescence, CyTOF-ready	Marker	Hematopoietic Stem Cell & Endothelial Marker
Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry, Immunofluorescence, CyTOF-ready	Specificity/Sensitivity	transmembrane, heavily glycosylated protein of 90-120kDa, which is identified as CD34 (VI international workshop on human differentiation antigens). Its expression is a hallmark for identifying pluripotent hematopoietic stem or progenitor cells. Its expression is gradually lost as lineage committed progenitors differentiate. CD34 is a marker of choice for staining blasts in acute myeloid leukemia. In addition, it is expressed by soft tissue tumors, such as solitary fibrous tumor and gastrointestinal stromal tumor. CD34 expression is also found in vascular endothelium. Additionally, proliferating endothelial cells overexpress this molecule than the non-proliferating endothelial cells. Anti-CD34 labels 85%
DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Applications Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence Questern Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Immunogen	Recombinant full-length human CD34 protein (Uniprot: P28906)
ApplicationsWestern Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, ImmunofluorescenceRecommended DilutionsWestern Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Notes	DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Product Application Details	
Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready	Applications	Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready,
Application NotesOptimal dilution of this antibody should be experimentally determined.	Recommended Dilutions	Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence,
	Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-47911C

NBP1-43319C	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 650]
NBP2-22751	Recombinant Human CD34 His Protein
210-TA-005	TNF-alpha [Unconjugated]
9655-CD-050	CD34 [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47911C

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

