Product Datasheet

CEACAM5/CD66e Antibody (C66/1009) [DyLight 488] NBP2-47976G

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47976G

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47976G



NBP2-47976G

CEACAM5/CD66e Antibody (C66/1009) [DyLight 488]

Unit Size0.1 mlConcentrationPlease see the vial label for concentration. If unlisted please contact techni services.StorageStore at 4C in the dark.ClonalityMonoclonalCloneC66/1009Preservative0.05% Sodium AzideIsotypeIgG2a KappaConjugateDyLight 488PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionThis conjugate is made on demand. Actual recovery may vary from the sta volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.HostMouseGene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	ed
services.StorageStore at 4C in the dark.ClonalityMonoclonalCloneC66/1009Preservative0.05% Sodium AzideIsotypeIgG2a KappaConjugateDyLight 488PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionThis conjugate is made on demand. Actual recovery may vary from the star volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.HostMouseGene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	ed
Clonality Monoclonal Clone C66/1009 Preservative 0.05% Sodium Azide Isotype IgG2a Kappa Conjugate DyLight 488 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the star volume of this product. The volume will be greater than or equal to the unit stated on the datasheet. Host Mouse Gene ID 1048 Gene Symbol CEACAM5 Species Human Species Human Species In this antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	
CloneC66/1009Preservative0.05% Sodium AzideIsotypeIgG2a KappaConjugateDyLight 488PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionThis conjugate is made on demand. Actual recovery may vary from the star volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.HostMouseGene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	
Preservative 0.05% Sodium Azide Isotype IgG2a Kappa Conjugate DyLight 488 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the star volume of this product. The volume will be greater than or equal to the unit stated on the datasheet. Host Mouse Gene ID 1048 Gene Symbol CEACAM5 Species Human Specificity/Sensitivity This antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	
IsotypeIgG2a KappaConjugateDyLight 488PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionThis conjugate is made on demand. Actual recovery may vary from the star volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.HostMouseGene ID1048Gene SymbolCEACAM5Specificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	
ConjugateDyLight 488PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionThis conjugate is made on demand. Actual recovery may vary from the star volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.HostMouseGene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	
PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionThis conjugate is made on demand. Actual recovery may vary from the star volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.HostMouseGene ID1048Gene SymbolCEACAM5Specificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	
Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the star volume of this product. The volume will be greater than or equal to the unit stated on the datasheet. Host Mouse Gene ID 1048 Gene Symbol CEACAM5 Species Human Specificity/Sensitivity This antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	
Product Description This conjugate is made on demand. Actual recovery may vary from the stat volume of this product. The volume will be greater than or equal to the unit stated on the datasheet. Host Mouse Gene ID 1048 Gene Symbol CEACAM5 Species Human Specificity/Sensitivity This antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	
DescriptionThis conjugate is made on demand. Actual recovery may vary from the star volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.HostMouseGene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	
volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.HostMouseGene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	
Gene ID 1048 Gene Symbol CEACAM5 Species Human Specificity/Sensitivity This antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	
Gene Symbol CEACAM5 Species Human Specificity/Sensitivity This antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	
Species Human Specificity/Sensitivity This antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	
Specificity/Sensitivity This antibody recognizes proteins of 80-200kDa, identified as different mer of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	
of CEA family. CEA is synthesized during development in the fetal gut and expressed in increased amounts in intestinal carcinomas and several other	
tumors. This monoclonal antibody does not react with nonspecific cross-rea antigen (NCA) and with human polymorphonuclear leucocytes. It shows no reaction with a variety of normal tissues and is suitable for staining of formalin/paraffin tissues. CEA is not found in benign glands, stroma, or ma prostatic cells. Antibody to CEA is useful in detecting early foci of gastric carcinoma and in distinguishing pulmonary adenocarcinomas (60-70% are +) from pleural mesotheliomas (rarely or weakly CEA+). Anti-CEA positivity seen in adenocarcinomas from the lung, colon, stomach, esophagus, panc gallbladder, urachus, salivary gland, ovary, and endocervix.	s re- icting ignant CEA is eas,
Immunogen Recombinant full-length human CEACAM5/CD66e protein (Uniprot: P0673))
Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidia	ies.
Product Application Details	
Applications Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence	
Recommended Dilutions Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence CyTOF-ready	<i>)</i> ,
Application NotesOptimal dilution of this antibody should be experimentally determined.	

www.novusbio.com



technical@novusbio.com



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-47976G

NBP1-96981G	Mouse IgG2a Kappa Isotype Control (M2AK) [DyLight 488]
NBP1-85742PEP	CEACAM5/CD66e Recombinant Protein Antigen
DKK300	Kallikrein 3/PSA [HRP]
AVI10449-050	CEACAM5/CD66e [Biotin]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47976G

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

