# **Product Datasheet**

## S100A9 Antibody (47-8D3 (DF3973)) [DyLight 680] NBP2-47980FR

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47980FR

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47980FR



## NBP2-47980FR

S100A9 Antibody (47-8D3 (DF3973)) [DyLight 680]

| 3 100A9 Allibody (47-6D3 (DF39 | 70)) [5] Light 600]  |
|--------------------------------|--|
| Product Information            |  |
| Unit Size                      | 0.1 ml   |
| Concentration                  | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                        | Store at 4C in the dark.   |
| Clonality                      | Monoclonal   |
| Clone                          | 47-8D3 (DF3973)  |
| Preservative                   | 0.05% Sodium Azide   |
| Isotype                        | IgG1 Kappa   |
| Conjugate                      | DyLight 680  |
| Purity                         | Protein A or G purified  |
| Buffer                         | 50mM Sodium Borate   |
| Product Description            |  |
| Description                    | This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.  |
| Host                           | Mouse  |
| Gene ID                        | 6280   |
| Gene Symbol                    | S100A9   |
| Species                        | Human, Mouse, Rat  |
| Reactivity Notes               | Use in Mouse reported in scientific literature (PMID:32191647).  |
| Marker                         | Macrophage Marker  |
| Specificity/Sensitivity        | This monoclonal antibody stains the cytoplasm of macrophages and histiocytes in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle zone B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells of the stomach. S100A9 is expressed by macrophages in acutely inflamed tissues and in chronic inflammation. It is detected in peripheral blood leukocytes, in neutrophils and granulocytes. It is present at sites of vascular inflammation. S100A9 is also expressed in epithelial cells constitutively or induced during dermatoses. S100A9 is a Calcium-binding protein. It has antimicrobial activity towards bacteria and fungi. It is important for resistance to invasion by pathogenic bacteria. It up-regulates transcription of genes that are under the control of NF-kappa-B. S100A9 plays a role in the development of endotoxic shock in response to bacterial lipopolysaccharide (LPS). It promotes tubulin polymerization when unphosphorylated. It also promotes phagocyte migration and infiltration of granulocytes at sites of wounding. It plays a role as a proinflammatory mediator in acute and chronic inflammation and up-regulates the release of IL8 and cell-surface expression of ICAM1. |
| Immunogen                      | Human peripheral blood monocyte components (Uniprot: P06702)   |
| Notes                          | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.  |

## **Product Application Details**



| Applications          | Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence       |
|-----------------------|---|
| Recommended Dilutions | Flow Cytometry, Immunohistochemistry, Immunocytochemistry/<br>Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence,<br>CyTOF-ready |
| Application Notes     | Optimal dilution of this antibody should be experimentally determined.  |





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP2-47980FR**

NBP1-43319FR-0.5ml Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 680]

NBP1-44500 Recombinant Human S100A9 His Protein

210-TA-005 TNF-alpha [Unconjugated]

DY5578 S100A9 [Biotin]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47980FR

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

