## **Product Datasheet**

### CEACAM5/CD66e Antibody (SPM330) - IHC-Prediluted NBP2-48049

Unit Size: 7 ml

Store at 4C.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-48049

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-48049



#### NBP2-48049


CEACAM5/CD66e Antibody (SPM330) - IHC-Prediluted

| Product Information         |   |
|-----------------------------|---|
| Unit Size                   | 7 ml  |
| Concentration               | Please see the vial label for concentration. If unlisted please contact technical services.   |
| Storage                     | Store at 4C.  |
| Clonality                   | Monoclonal  |
| Clone                       | SPM330  |
| Preservative                | 0.05% Sodium Azide  |
| Isotype                     | IgG1 Kappa  |
| Purity                      | Protein A or G purified   |
| Buffer                      | 10 mM PBS with 0.05% BSA  |
| Product Description         |   |
| Description                 | The prediluted antibody does not require any mixing, dilution, reconstitution, or titration; the antibody is ready-to-use and optimized for staining.   |
| Host                        | Mouse   |
| Gene ID                     | 1048  |
| Gene Symbol                 | CEACAM5   |
| Species                     | Human, Monkey   |
| Specificity/Sensitivity     | This antibody recognizes proteins of 80-200kDa, identified as different members<br>of CEA family. CEA is synthesized during development in the fetal gut and is re-<br>expressed in increased amounts in intestinal carcinomas and several other<br>tumors. This monoclonal antibody reacts with nonspecific cross-reacting antigen<br>(NCA) and shows a cross-reaction with human polymorphonuclear leucocytes. It<br>shows no reaction with a variety of normal tissues and is suitable for staining of<br>formalin/paraffin tissues. CEA is not found in benign glands, stroma, or malignant<br>prostatic cells. Antibody to CEA is useful in detecting early foci of gastric<br>carcinoma and in distinguishing pulmonary adenocarcinomas (60-70% are CEA<br>+) from pleural mesotheliomas (rarely or weakly CEA+). Anti-CEA positivity is<br>seen in adenocarcinomas from the lung, colon, stomach, esophagus, pancreas,<br>gallbladder, urachus, salivary gland, ovary, and endocervix. |
| Immunogen                   | Purified human CEACAM5/CD66e protein (Uniprot: P06731)  |
| Product Application Details |   |
| Applications                | Immunohistochemistry, Immunohistochemistry-Paraffin   |
| Recommended Dilutions       | Immunohistochemistry, Immunohistochemistry-Paraffin   |
| Application Notes           | Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.   |



#### Images

Immunohistochemistry-Paraffin: CEACAM5/CD66e Antibody (SPM330) -IHC-Prediluted [NBP2-48049] - Formalin-fixed, paraffin-embedded human colon carcinoma stained with CEACAM5/CD66e Mouse Monoclonal Antibody (C66/1009).



www.novusbio.com





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-48049

| HAF007           | Goat anti-Mouse IgG Secondary Antibody [HRP]            |
|------------------|---|
| NB720-B          | Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin] |
| NBP1-43319-0.5mg | Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)           |
| NBP1-85742PEP    | CEACAM5/CD66e Recombinant Protein Antigen               |
|                  |   |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-48049

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

