# **Product Datasheet**

# H1F0 Antibody (AE-4) - IHC-Prediluted NBP2-48077

Unit Size: 7 ml

Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-48077

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-48077



# NBP2-48077


H1F0 Antibody (AE-4) - IHC-Prediluted

H1FU Antibody (AE-4) - IHC-Prediluted	
Product Information	
7 ml	
Please see the vial label for concentration. If unlisted please contact technical services.	
Store at 4C.	
Monoclonal	
AE-4	
0.05% Sodium Azide	
IgG2a Kappa	
Protein A or G purified	
10 mM PBS with 0.05% BSA	
30 kDa	
Product Description	
The prediluted antibody does not require any mixing, dilution, reconstitution, or titration; the antibody is ready-to-use and optimized for staining.	
Mouse	
3005	
H1-0	
Human, Mouse, Rat	
Pan Nuclear Marker	
Nuclei of human leukemia biopsy cells	
Product Application Details	
Immunohistochemistry, Immunohistochemistry-Paraffin	
Immunohistochemistry, Immunohistochemistry-Paraffin	
Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.	




## **Images**


Immunohistochemistry-Paraffin: H1F0 Antibody (AE-4) - IHC-Prediluted [NBP2-48077] - Human Tonsil stained with H1F0 antibody (AE-4) - IHC-Prediluted



Immunohistochemistry-Paraffin: H1F0 Antibody (AE-4) - IHC-Prediluted [NBP2-48077] - Formalin-fixed, paraffin-embedded human Testicular Carcinoma stained with H1F0 antibody (AE-4) - IHC-Prediluted



Immunohistochemistry-Paraffin: H1F0 Antibody (AE-4) - IHC-Prediluted [NBP2-48077] - Formalin-fixed, paraffin-embedded human Pancreas stained with H1F0 antibody (AE-4) - IHC-Prediluted





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP2-48077**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-96981-0.5mg Mouse IgG2a Kappa Isotype Control (M2AK)

H00003005-Q01-10ug Recombinant Human H1F0 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-48077

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

