# **Product Datasheet**

# Lewis A Blood Group Antigen Antibody (SPM279) - IHC-Prediluted NBP2-48079

Unit Size: 7 ml

Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-48079

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-48079



## NBP2-48079

| Lewis A Blood Group Antigen Antibody (SPM279) - IHC-Prediluted |   |
|--|---|
| Product Information  |   |
| Unit Size  | 7 ml  |
| Concentration  | Please see the vial label for concentration. If unlisted please contact technical services.   |
| Storage  | Store at 4C.  |
| Clonality  | Monoclonal  |
| Clone  | SPM279  |
| Preservative   | 0.05% Sodium Azide  |
| Isotype  | IgG1 Kappa  |
| Purity   | Protein A or G purified   |
| Buffer   | 10 mM PBS with 0.05% BSA  |
| Product Description  |   |
| Description  | The prediluted antibody does not require any mixing, dilution, reconstitution, or titration; the antibody is ready-to-use and optimized for staining.   |
| Host   | Mouse   |
| Gene ID  | 28  |
| Gene Symbol  | ABO   |
| Species  | Human, Mouse  |
| Specificity/Sensitivity  | Recognizes a carbohydrate determinant of Gal 1-3(Fuc 1-4) GlcNAc which is blood group antigen Lewis A. It is present primarily on epithelial cells such as colon and kidneys. In the tumors and dedifferentiated tissues, decrease of Lewis A antigen was observed. Lewis A (type 1 chain) is expressed in colonic epithelial cells and may be useful for detection of gastrointestinal tumors, pancreatic cancer, and colorectal tumors. Blood group related antigens represent a group of carbohydrate determinants carried on both glycolipids and glycoproteins. They are usually mucin-type, and are detected on erythrocytes, certain epithelial cells, and in secretions of certain individuals. Sixteen genetically and biosynthetically distinct but inter-related specificities belong to this group of antigens, including A, B, H, Lewis A, Lewis B, Lewis X, Lewis Y, and precursor type 1 chain antigens. |
| Immunogen  | Mucins isolated from ovarian cyst fluid   |
| Product Application Details                                    |   |
| Applications   | Immunohistochemistry, Immunohistochemistry-Paraffin   |
| Recommended Dilutions  | Immunohistochemistry, Immunohistochemistry-Paraffin   |
| Application Notes  | Immunohistochemistry-Paraffin 0.5 - 1.0 ug/ml for 30 minutes at RT; Staining of formalin-fixed tissues requires boiling tissue sections in 10mM citrate buffer, pH 6.0, for 10 - 20 min followed by cooling at RT for 20 minutes. The 7mL size is a pre-diluted size and no additional dilutions are required before using this item for the intended application.  |



## **Images**

Immunohistochemistry-Paraffin: Lewis A Blood Group Antigen Antibody (SPM279) - IHC-Prediluted [NBP2-48079] - Human Colon Carcinoma stained with Lewis A Monoclonal Antibody (SPM279).





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP2-48079**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

DHAPG0 Haptoglobin [HRP]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-48079

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

