Product Datasheet

HSP60 Antibody (HSPD1/780) - IHC-Prediluted NBP2-48187

Unit Size: 7 ml

Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-48187

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-48187



NBP2-48187


HSP60 Antibody (HSPD1/780) - IHC-Prediluted

HSP60 Antibody (HSPD1/780) - IHC-Prediluted	
Product Information	
Unit Size	7 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C.
Clonality	Monoclonal
Clone	HSPD1/780
Preservative	0.05% Sodium Azide
Isotype	IgG1 Kappa
Purity	Protein A or G purified
Buffer	10 mM PBS with 0.05% BSA
Target Molecular Weight	60 kDa
Product Description	
Description	The prediluted antibody does not require any mixing, dilution, reconstitution, or titration; the antibody is ready-to-use and optimized for staining.
Host	Mouse
Gene ID	3329
Gene Symbol	HSPD1
Species	Human, Mouse, Rat, Porcine, Bovine, Canine, Chicken, Hamster, Monkey, Rabbit, Sheep
Marker	Mitochondrial Marker
Specificity/Sensitivity	Recognizes a 60kDa protein, identified as the heat shock protein 60 (hsp60). A wide variety of environmental and pathophysiological stressful conditions trigger the synthesis of a family of proteins known as heat shock proteins (hsps). Hsp60 is a potential antigen in a number of autoimmune diseases. In human arthritis and in experimentally induced arthritis in animals, disease development coincides with the development of immune reactivity directed against not only bacterial hsp60, but also against its mammalian homolog.
Immunogen	Recombinant human HSP60 protein (Uniprot: P10809)
Product Application Details	
Applications	Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry, Immunohistochemistry-Paraffin
Application Notes	Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.




Images


Immunohistochemistry-Paraffin: HSP60 Antibody (HSPD1/780) - IHC-Prediluted [NBP2-48187] - Formalin-fixed, paraffin-embedded human Pancreas stained with HSP60-Monospecific Mouse Monoclonal Antibody (HSPD1/780).




Immunohistochemistry-Paraffin: HSP60 Antibody (HSPD1/780) - IHC-Prediluted [NBP2-48187] - Formalin-fixed, paraffin-embedded human Bladder Carcinoma stained with HSP60 Mouse Monoclonal Antibody (HSPD1/780)



Immunohistochemistry-Paraffin: HSP60 Antibody (HSPD1/780) - IHC-Prediluted [NBP2-48187] - Formalin-fixed, paraffin-embedded human Lung Carcinoma stained with HSP60 Mouse Monoclonal Antibody (HSPD1/780)



Immunohistochemistry-Paraffin: HSP60 Antibody (HSPD1/780) - IHC-Prediluted [NBP2-48187] - Formalin-fixed, paraffin-embedded human Renal Cell Carcinoma stained with HSP60-Monospecific Mouse Monoclonal Antibody (HSPD1/780).





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-48187

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

NBP1-77397PEP HSP60 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-48187

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

