# **Product Datasheet**

# FANCE Antibody (L5-P1E6\*G5) - BSA Free NBP2-50400

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-50400

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-50400



# NBP2-50400

FANCE Antibody (L5-P1F6\*G5) - BSA Free


FANCE Antibody (L5-P1E6°G5) - BSA Free	
Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	L5-P1E6*G5
Preservative	0.02% Sodium Azide
Isotype	IgG1 Kappa
Purity	Protein A purified
Buffer	PBS
Product Description	
Description	The clone number is listed as L5-P1E6*G5 in the scientific literature.
Host	Mouse
Gene ID	2178
Gene Symbol	FANCE
Species	Human
Immunogen	Ovalbumin-conjugated synthetic peptide - KAALKHLGP
Product Application Details	
Applications	Western Blot, ELISA, Immunohistochemistry
Recommended Dilutions	Western Blot 1:100 - 1:2000, ELISA 1:100 - 1:2000, Immunohistochemistry 1:10 - 1:500
Application Notes	Positive control(s): WB- Jurkat cell lysates; IHC- formalin-fixed, paraffin-

minunogen	Ovalbullili-colligated synthetic peptide - NALIXI ILOI
<b>Product Application Details</b>	
Applications	Western Blot, ELISA, Immunohistochemistry
Recommended Dilutions	Western Blot 1:100 - 1:2000, ELISA 1:100 - 1:2000, Immunohistochemistry 1:10 - 1:500
Application Notes	Positive control(s): WB- Jurkat cell lysates; IHC- formalin-fixed, paraffinembedded multi tumour tissue microarray




# **Images**

Western Blot: FANCE Antibody (L5-P1E6G5) [NBP2-50400] - Detection of FANCE in a Jurkat cell lysate.



Immunohistochemistry: FANCE Antibody (L5-P1E6G5) [NBP2-50400] - Staining of human hepatocellular carcinoma shows both cytoplasmic and nuclear positivity but predominately cytoplasmic staining. IHC was performed on formalin-fixed, paraffin embedded tissue sections.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP2-50400**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

210-TA-005 TNF-alpha [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-50400

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

