

Product Datasheet

DC-LAMP Antibody (L3P2H10*E3) - BSA Free NBP2-50464

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-50464

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-50464



NBP2-50464

DC-LAMP Antibody (L3P2H10*E3) - BSA Free

Product Information

| | |
|----------------------|----------------------------------------------------------------------------------------|
| Unit Size | 0.1 ml |
| Concentration | 1 mg/ml |
| Storage | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. |
| Clonality | Monoclonal |
| Clone | L3P2H10*E3 |
| Preservative | 0.02% Sodium Azide |
| Isotype | IgG1 Kappa |
| Purity | Protein A purified |
| Buffer | PBS |

Product Description


| | |
|--------------------|------------------------------------------------------------------------|
| Description | The clone number is listed as L3P2H10*E3 in the scientific literature. |
| Host | Mouse |
| Gene ID | 27074 |
| Gene Symbol | LAMP3 |
| Species | Human |
| Immunogen | Ovalbumin-conjugated synthetic peptide - RCQSSGYQRI |

Product Application Details

| | |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Applications | Western Blot, ELISA, Immunohistochemistry |
| Recommended Dilutions | Western Blot 1:100 - 1:2000, ELISA 1:100 - 1:2000, Immunohistochemistry 1:10 - 1:500 |
| Application Notes | Positive control(s): WB- Jurkat whole cell lysate or overexpression cell lysate; IHC-formalin-fixed, paraffin-embedded multi tumour tissue microarray. |

Images

Western Blot: DC-LAMP Antibody (L3P2H10E3) [NBP2-50464] - Lane 1 is a negative control, lane 2 is over-expressed lysate and lane 3 is jurkat cell lysate.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-50464

| | |
|-------------------|---------------------------------------------------------|
| HAF007 | Goat anti-Mouse IgG Secondary Antibody [HRP] |
| NB720-B | Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin] |
| NBP1-43319-0.5mg | Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) |
| NBP2-52299-0.05mg | Recombinant Human DC-LAMP His Protein |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-50464

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

