Product Datasheet

CYP1B1 Antibody - BSA Free NBP2-50551

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-50551

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-50551



NBP2-50551


CYP1B1 Antibody - BSA Free

Unit Size 0.1 mg Concentration 0.5 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.05% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS, 0.2% Gelatin Product Description Host Rabbit Gene ID 1545 Gene Symbol CYP1B1 Species Human, Canine, Primate Reactivity Notes The amino acid sequence used as immunogen is 84% homologous in Mouse. Canine reactivity reported from a verified customer review. Immunogen This CYP1B1 Antibody was developed against a portion of amino acids 200-250 of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin	CTPTBT Antibody - BSA Free	
Concentration O.5 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative O.05% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS, 0.2% Gelatin Product Description Host Rabbit Gene ID 1545 Gene Symbol CYP1B1 Species Human, Canine, Primate Reactivity Notes The amino acid sequence used as immunogen is 84% homologous in Mouse. Canine reactivity reported from a verified customer review. Immunogen This CYP1B1 Antibody was developed against a portion of amino acids 200-250 of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.05% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS, 0.2% Gelatin Product Description Host Rabbit Gene ID 1545 Gene Symbol CYP1B1 Species Human, Canine, Primate Reactivity Notes The amino acid sequence used as immunogen is 84% homologous in Mouse. Canine reactivity reported from a verified customer review. Immunogen This CYP1B1 Antibody was developed against a portion of amino acids 200-250 of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Unit Size	0.1 mg
cycles. Clonality Polyclonal Preservative 0.05% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS, 0.2% Gelatin Product Description Host Rabbit Rene ID 1545 Gene ID 1545 Gene Symbol CYP1B1 Species Human, Canine, Primate Reactivity Notes The amino acid sequence used as immunogen is 84% homologous in Mouse. Canine reactivity reported from a verified customer review. Immunogen This CYP1B1 Antibody was developed against a portion of amino acids 200-250 of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Concentration	0.5 mg/ml
Preservative Isotype IgG Purity Immunogen affinity purified Buffer PBS, 0.2% Gelatin Product Description Host Gene ID 1545 Gene Symbol CYP1B1 Species Human, Canine, Primate Reactivity Notes The amino acid sequence used as immunogen is 84% homologous in Mouse. Canine reactivity reported from a verified customer review. Immunogen This CYP1B1 Antibody was developed against a portion of amino acids 200-250 of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Storage	·
Isotype IgG Purity Immunogen affinity purified Buffer PBS, 0.2% Gelatin Product Description Host Rabbit Gene ID 1545 Gene Symbol CYP1B1 Species Human, Canine, Primate Reactivity Notes The amino acid sequence used as immunogen is 84% homologous in Mouse. Canine reactivity reported from a verified customer review. Immunogen This CYP1B1 Antibody was developed against a portion of amino acids 200-250 of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Clonality	Polyclonal
Purity Buffer PBS, 0.2% Gelatin Product Description Host Rabbit Gene ID 1545 Gene Symbol CYP1B1 Species Human, Canine, Primate Reactivity Notes The amino acid sequence used as immunogen is 84% homologous in Mouse. Canine reactivity reported from a verified customer review. Immunogen This CYP1B1 Antibody was developed against a portion of amino acids 200-250 of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Preservative	0.05% Sodium Azide
Buffer PBS, 0.2% Gelatin Product Description Host Rabbit Gene ID 1545 Gene Symbol CYP1B1 Species Human, Canine, Primate Reactivity Notes The amino acid sequence used as immunogen is 84% homologous in Mouse. Canine reactivity reported from a verified customer review. Immunogen This CYP1B1 Antibody was developed against a portion of amino acids 200-250 of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Isotype	IgG
Product Description Host Rabbit Gene ID 1545 Gene Symbol CYP1B1 Species Human, Canine, Primate Reactivity Notes The amino acid sequence used as immunogen is 84% homologous in Mouse. Canine reactivity reported from a verified customer review. Immunogen This CYP1B1 Antibody was developed against a portion of amino acids 200-250 of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Purity	Immunogen affinity purified
Host Rabbit Gene ID 1545 Gene Symbol CYP1B1 Species Human, Canine, Primate Reactivity Notes The amino acid sequence used as immunogen is 84% homologous in Mouse. Canine reactivity reported from a verified customer review. Immunogen This CYP1B1 Antibody was developed against a portion of amino acids 200-250 of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Buffer	PBS, 0.2% Gelatin
Gene Symbol CYP1B1 Species Human, Canine, Primate The amino acid sequence used as immunogen is 84% homologous in Mouse. Canine reactivity reported from a verified customer review. Immunogen This CYP1B1 Antibody was developed against a portion of amino acids 200-250 of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Product Description	
Gene Symbol CYP1B1 Human, Canine, Primate Reactivity Notes The amino acid sequence used as immunogen is 84% homologous in Mouse. Canine reactivity reported from a verified customer review. Immunogen This CYP1B1 Antibody was developed against a portion of amino acids 200-250 of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Host	Rabbit
Species Human, Canine, Primate The amino acid sequence used as immunogen is 84% homologous in Mouse. Canine reactivity reported from a verified customer review. This CYP1B1 Antibody was developed against a portion of amino acids 200-250 of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Gene ID	1545
Reactivity Notes The amino acid sequence used as immunogen is 84% homologous in Mouse. Canine reactivity reported from a verified customer review. This CYP1B1 Antibody was developed against a portion of amino acids 200-250 of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Gene Symbol	CYP1B1
Canine reactivity reported from a verified customer review. This CYP1B1 Antibody was developed against a portion of amino acids 200-250 of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Species	Human, Canine, Primate
of human CYP1B1 was used as the immunogen. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Reactivity Notes	
Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Immunogen	
Recommended Dilutions Western Blot 0.5 - 1 ug/mL, Immunohistochemistry, Immunohistochemistry-	Product Application Details	
	Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
	Recommended Dilutions	




Images

Western Blot: CYP1B1 Antibody [NBP2-50551] - Analysis of human CYP1B1 in human brain lysate in the 1) absence and 2) presence of immunizing peptide.



Immunohistochemistry: CYP1B1 Antibody [NBP2-50551] - Analysis of human testis using this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-50551

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-24722PEP CYP1B1 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-50551

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

