# **Product Datasheet**

# PDGFR alpha Antibody (8E12F2) - BSA Free NBP2-52528

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Reviews: 2** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-52528

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-52528



#### NBP2-52528


PDGFR alpha Antibody (8E12F2) - BSA Free

| PUGER alpha Antibody (8E 12        | (FZ) - DOA FIEE   |
|------------------------------------|---|
| Product Information                |   |
| Unit Size                          | 0.1 mg  |
| Concentration                      | 1 mg/ml   |
| Storage                            | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.  |
| Clonality                          | Monoclonal  |
| Clone                              | 8E12F2  |
| Preservative                       | 0.05% Sodium Azide  |
| Isotype                            | IgG1  |
| Purity                             | Protein G purified  |
| Buffer                             | PBS   |
| Target Molecular Weight            | 122.7 kDa   |
| <b>Product Description</b>         |   |
| Host                               | Mouse   |
| Gene ID                            | 5156  |
| Gene Symbol                        | PDGFRA  |
| Species                            | Human, Feline   |
| Reactivity Notes                   | Feline reactivity reported from a verified customer review.   |
| Immunogen                          | Purified recombinant fragment of human PDGFR alpha (AA: 361-528) expressed in E. Coli.  |
| <b>Product Application Details</b> |   |
| Applications                       | Western Blot, ELISA, Flow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, CyTOF-ready                                   |
| Recommended Dilutions              | Western Blot 1:500-1:2000, Flow Cytometry 1:200-1:400, ELISA 1:10000, Immunocytochemistry/ Immunofluorescence 1:200-1:1000, Flow (Intracellular), |


| 1 Todati Application Dotalic |   |
|------------------------------|---|
|                              | Western Blot, ELISA, Flow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, CyTOF-ready   |
|                              | Western Blot 1:500-1:2000, Flow Cytometry 1:200-1:400, ELISA 1:10000, Immunocytochemistry/ Immunofluorescence 1:200-1:1000, Flow (Intracellular), CyTOF-ready |
| Application Notes            | This antibody is Cytof ready.   |

### **Images**


Western Blot: PDGF R alpha Antibody (8E12F2) [NBP2-52528] -Analysis using PDGFRA mAb against HEK293 (1) and PDGFRA (AA: 361-528)-hlgGFc transfected HEK293 (2) cell lysate.




Immunocytochemistry/Immunofluorescence: PDGFR alpha Antibody (8E12F2) [NBP2-52528] - PDGF R alpha Antibody (8E12F2) [NBP2-52528] - Imaging of Optice Nerve. Primary Antibody (red, dilution1:800) and DAPI (blue). This image was submitted via customer Review.




Flow (Intracellular): PDGF R alpha Antibody (8E12F2) [NBP2-52528] - An intracellular stain was performed on HeLa cells with PDGF R alpha Antibody (8E12F2) NBP2-52528AF488 (blue) and a matched isotype control (orange). Cells were fixed with 4% PFA and then permeabilized with 0.1% saponin. Cells were incubated in an antibody dilution of 10 ug/mL for 30 minutes at room temperature. Both antibodies were conjugated to Alexa Fluor 488.




Western Blot: PDGF R alpha Antibody (8E12F2) [NBP2-52528] - Analysis using PDGFRA mAb against human PDGFRA (AA: 361-528) recombinant protein. (Expected MW is 44.8 kDa)



Immunocytochemistry/Immunofluorescence: PDGFR alpha Antibody (8E12F2) [NBP2-52528] - PDGF R alpha Antibody (8E12F2) [NBP2-52528] - Analysis of Hela cells using PDGFRA 8E12F2 HELA 100 mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor- 555 phalloidin.







# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP2-52528**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NBP2-76508PEP PDGFR alpha Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-52528

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

