

Product Datasheet

CD20 Antibody (10F381 (rituximab)) [Allophycocyanin/Cy7] - Chimeric NBP2-52646APCCY7

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-52646APCCY7

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-52646APCCY7



NBP2-52646APCCY7

CD20 Antibody (10F381 (rituximab)) [Allophycocyanin/Cy7] - Chimeric

| Product Information | |
|-----------------------------|--|
| Unit Size | 0.1 ml |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 4C in the dark. Do not freeze. |
| Clonality | Monoclonal |
| Clone | 10F381 (rituximab) |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG Kappa |
| Conjugate | Allophycocyanin/Cy7 |
| Purity | Protein A purified |
| Buffer | PBS |
| Product Description | |
| Host | Rabbit |
| Gene ID | 931 |
| Gene Symbol | MS4A1 |
| Species | Human, Cynomolgus Monkey, Rhesus Macaque |
| Reactivity Notes | Human, Rhesus Monkey, Cynomolgus Monkey |
| Specificity/Sensitivity | CD20 (Human B-lymphocyte-restricted differentiation antigen, Bp35), is a hydrophobic transmembrane protein with a molecular weight of approximately 35 kDa located on pre-B and mature B lymphocytes, and most B-cell non-Hodgkin's lymphomas, but is not found on stem cells, pro-B cells, normal plasma cells or other normal tissues . |
| Immunogen | Human lymphoblastoid cell line SB. |
| Product Application Details | |
| Applications | Flow Cytometry |
| Recommended Dilutions | Flow Cytometry |
| Application Notes | Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at technical@novusbio.com if you have any questions. |





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-52646APCCY7

| | |
|--------------------|---|
| H00000931-P01-25ug | Recombinant Human CD20 GST (N-Term) Protein |
| 210-TA-005 | TNF-alpha [Unconjugated] |
| NBL1-13312 | CD20 Overexpression Lysate |
| AF114 | CD45 Antibody [Unconjugated] |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-52646APCCY7

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

