# **Product Datasheet**

# DC-SIGNR/CD299/CLEC4M Antibody (16E7) [Allophycocyanin/Cy7] - Chimeric NBP2-52649APCCY7

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-52649APCCY7

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-52649APCCY7



# **NBP2-52649APCCY7**

| DC-SIGNR/CD299/CLEC4M Antibody (16E7) [Allophycocyanin/Cy7] - Chimeric |   |
|--|---|
| Product Information  |   |
| Unit Size  | 0.1 ml  |
| Concentration  | Please see the vial label for concentration. If unlisted please contact technical services.   |
| Storage  | Store at 4C in the dark. Do not freeze.   |
| Clonality  | Monoclonal  |
| Clone  | 16E7  |
| Preservative   | 0.05% Sodium Azide  |
| Isotype  | IgG Kappa   |
| Conjugate  | Allophycocyanin/Cy7   |
| Purity   | Protein A purified  |
| Buffer   | PBS   |
| Product Description  |   |
| Host   | Rabbit  |
| Gene ID  | 10332   |
| Gene Symbol  | CLEC4M  |
| Species  | Human   |
| Reactivity Notes   | Human   |
| Specificity/Sensitivity  | Human CD299, which is an oligomeric type II transmembrane protein with a C-type lectin extracellular domain, the expression of which is restricted to immature DC, macrophages in the lung, and endothelial cells in the liver. It binds ICAM-3 and ICAM-7 to mediate the interaction of DC with T lymphocytes and endothelial cells in the initial stages of immune response and in the migratory behavior of DC. CD299 also binds the gp120 protein of HIV and the E2 envelope protein of HCV, thereby playing a role in viral infection. |
| Immunogen  | CD299   |
| Product Application Details  |   |
| Applications   | Flow Cytometry  |
| Recommended Dilutions  | Flow Cytometry  |
| Application Notes  | Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at technical@novusbio.com if you have any questions.  |
|  |   |





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP2-52649APCCY7**

NBP2-48770PEP DC-SIGNR/CD299/CLEC4M Recombinant Protein Antigen

6507-IL-010/CF IL-4 [Unconjugated]

162-D2-050 DC-SIGNR/CD299/CLEC4M [Unconjugated]

AF933 ACE-2 Antibody [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-52649APCCY7

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

