Product Datasheet

CD4 Antibody (MT310) [PE/Cy7] NBP2-52706PECY7

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-52706PECY7

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-52706PECY7



NBP2-52706PECY7

| CD4 Antibody (MT310) [PE/Cy7] | |
|-------------------------------|---|
| Product Information | |
| Unit Size | 0.1 ml |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 4C in the dark. Do not freeze. |
| Clonality | Monoclonal |
| Clone | MT310 |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG1 Kappa |
| Conjugate | PE/Cy7 |
| Purity | Protein A purified |
| Buffer | PBS |
| Product Description | |
| Host | Mouse |
| Gene ID | 920 |
| Gene Symbol | CD4 |
| Species | Human, Cynomolgus Monkey, Rhesus Macaque |
| Reactivity Notes | Human, Rhesus Monkey, Cynomolgus Monkey |
| Specificity/Sensitivity | mt310 binds to the extracellular domain D1 of CD4 -the same site as the HIV-1 gp120-binding site |
| Immunogen | CD4 |
| Product Application Details | |
| Applications | Flow Cytometry, Product Image |
| Recommended Dilutions | Flow Cytometry, Product Image |
| Application Notes | Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at technical@novusbio.com if you have any |



questions.

Images

Product Image: CD4 Antibody (MT310) [PE/Cy7] [NBP2-52706PECY7] - Vial of PE/Cy7 conjugated antibody. PE/Cy7 has two excitation maxima, 489 nm excited by the Blue laser (488 nm) and 566 nm excited by the Yellow-Green laser (561 nm). Both result in emission at 782 nm.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-52706PECY7

NBP1-19371PEP CD4 Antibody Blocking Peptide

210-TA-005 TNF-alpha [Unconjugated]

514-CD-050/CF CD4 [Unconjugated]

M6000B-1 IL-6 [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-52706PECY7

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

