

# Product Datasheet

## Mcl-1 Antibody (CL1128) - BSA Free NBP2-52968

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Reviews: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-52968](http://www.novusbio.com/NBP2-52968)

Updated 2/27/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-52968](http://www.novusbio.com/reviews/destination/NBP2-52968)



**NBP2-52968**

Mcl-1 Antibody (CL1128) - BSA Free


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	CL1128
Preservative	0.02% Sodium Azide
Isotype	IgG1
Purity	Protein A purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description	
Host	Mouse
Gene ID	4170
Gene Symbol	MCL1
Species	Human
Immunogen	This antibody was developed using a recombinant protein derived from Q07820, with the exact immunogen sequence remaining proprietary.


Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1 ug/ml, Immunohistochemistry 1:500 - 1:1000, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry-Paraffin 1:500 - 1:1000
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. For ICC/IF, PFA/Triton X-100 is recommended for fixation/permeabilization.

**Images**


Western Blot: Mcl-1 Antibody (CL1128) [NBP2-52968] - Lane 1: Marker [kDa], Lane 2: Negative control (vector only transfected HEK293T lysate), Lane 3: MCL1 Over-expression Lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells)




Immunocytochemistry/Immunofluorescence: Mcl-1 Antibody (CL1128) [NBP2-52968] - Staining of U-2 OS cells using the Anti-MCL1 monoclonal antibody, showing cell cycle dependent staining in mitochondria in green. Microtubule- and nuclear probes are visualized in red and blue, respectively (where available).




Immunohistochemistry-Paraffin: Mcl-1 Antibody (CL1128) [NBP2-52968] - Staining of lymph node in human colon shows strong positivity in the reaction centrum.




Immunohistochemistry-Paraffin: Mcl-1 Antibody (CL1128) [NBP2-52968] - Staining of human breast cancer shows strong positivity in tumor cells.




Immunohistochemistry-Paraffin: Mcl-1 Antibody (CL1128) [NBP2-52968] - Staining of human cerebellum shows absence of immunoreactivity (negative control).



Immunohistochemistry-Paraffin: Mcl-1 Antibody (CL1128) [NBP2-52968]  
- Staining of human tonsil shows strong immunoreactivity in the reaction  
centrum.



Immunohistochemistry-Paraffin: Mcl-1 Antibody (CL1128) [NBP2-52968]  
- Staining of stomach cancer shows cytoplasmic immunoreactivity in  
tumor cells.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP2-52968**

---

NBP2-52968PEP	Mcl-1 Recombinant Protein Antigen
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-52968](http://www.novusbio.com/reviews/submit/NBP2-52968)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

