## **Product Datasheet**

# Aldehyde Dehydrogenase 1-A1/ALDH1A1 Antibody (ALDH1A1/1381) NBP2-53248-100ug

Unit Size: 100 ug Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-53248

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-53248



## NBP2-53248-100ug


| Aldehyde Dehydrogenase 1-A1/ALDH1A1 Antibody (ALDH1A1/1381) |  |
|---|--|
| Product Information   |  |
| Unit Size   | 100 ug   |
| Concentration   | 0.2 mg/ml  |
| Storage   | Store at 4C.   |
| Clonality   | Monoclonal   |
| Clone   | ALDH1A1/1381   |
| Preservative  | 0.05% Sodium Azide   |
| Isotype   | IgG1 Kappa   |
| Purity  | Protein A or G purified  |
| Buffer  | 10 mM PBS with 0.05% BSA   |
| Target Molecular Weight                                     | 56 kDa   |
| Product Description   |  |
| Description   | 200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP2-54422)  Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. |
| Host  | Mouse  |
| Gene ID   | 216  |
| Gene Symbol   | ALDH1A1  |
| Species   | Human  |
| Immunogen   | Recombinant fragment (around aa 315-434) of human Aldehyde Dehydrogenase 1-A1/ALDH1A1 protein (exact sequence is proprietary). (Uniprot: P00352)   |
| Product Application Details                                 |  |
| Applications  | Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin  |
| Recommended Dilutions                                       | Western Blot 1-2 ug/ml, Immunohistochemistry, Immunohistochemistry-Paraffin 1-2 ug/ml  |
| Application Notes   | Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 min at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes   |

|                                    | 1-AT/ALDITIAT protein (exact sequence is proprietary). (Onliprot. F 00332)  |
|------------------------------------|---|
| <b>Product Application Details</b> |   |
| Applications                       | Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin   |
| Recommended Dilutions              | Western Blot 1-2 ug/ml, Immunohistochemistry, Immunohistochemistry-Paraffin 1-2 ug/ml   |
| Application Notes                  | Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 min at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined. |




#### **Images**


Western Blot: Aldehyde Dehydrogenase 1-A1/ALDH1A1 Antibody (ALDH1A1/1381) [NBP2-53248] - Western Blot Analysis of human Liver tissue lysate using Aldehyde Dehydrogenase 1-A1/ALDH1A1 Antibody (ALDH1A1/1381).




Immunohistochemistry-Paraffin: Aldehyde Dehydrogenase 1-A1/ALDH1A1 Antibody (ALDH1A1/1381) [NBP2-53248] - Formalin-fixed, paraffin-embedded Human Testicular Carcinoma stained with ALDH1A1 Monoclonal Antibody (ALDH1A1/1381).



Western Blot: Aldehyde Dehydrogenase 1-A1/ALDH1A1 Antibody (ALDH1A1/1381) [NBP2-53248] - Western Blot of K562 and Lung lysate Aldehyde Dehydrogenase 1-A1/ALDH1A1 Antibody (ALDH1A1/1381).



Immunohistochemistry-Paraffin: Aldehyde Dehydrogenase 1-A1/ALDH1A1 Antibody (ALDH1A1/1381) [NBP2-53248] - Formalin-fixed, paraffin-embedded Human Colon Carcinoma stained with ALDH1A1 Monoclonal Antibody (ALDH1A1/1381).





#### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### Products Related to NBP2-53248-100ug

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

NBP1-89152PEP Aldehyde Dehydrogenase 1-A1/ALDH1A1 Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-53248

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

