Product Datasheet

beta-Catenin Antibody (CTNNB1/1509) NBP2-53366-100ug

Unit Size: 100 ug

Store at 4C.



Reviews: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-53366

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-53366




NBP2-53366-100ug

beta-Catenin Antibody (CTNNB1/1509)

100 ug
0.2 mg/ml
Store at 4C.
Monoclonal
CTNNB1/1509
0.05% Sodium Azide
IgG1 Kappa
Protein A or G purified
10 mM PBS with 0.05% BSA
92 kDa
200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP2-54540) Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.
Mouse
1499
CTNNB1
Human, Mouse, Rat
Recombinant human beta-Catenin protein fragment (Uniprot: P35222)
Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Western Blot 0.5 - 1 ug/ml, Immunohistochemistry, Immunohistochemistry- Paraffin 0.1-0.2 ug/ml
Immunohistochemistry (Formalin-fixed): 0.1-0.2ug/ml for 30 min at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.

Images

Western Blot: beta-Catenin Antibody (CTNNB1/1509) [NBP2-53366] -Breast cancer cell lysates were probed with Mouse anti-Human Beta-Catenin antibody (#NBP2-53366-20ug) at 0.5 ug/mL, followed by 1:5,000 anti-Mouse secondary antibody. Image is courtesy of customer review.



www.novusbio.com



technical@novusbio.com

Immunohistochemistry-Paraffin: beta-Catenin Antibody (CTNNB1/1509) [NBP2-53366] - Formalin-fixed, paraffin-embedded Rat Colon stained with Beta-Catenin Monoclonal Antibody (CTNNB1/1509). Immunohistochemistry-Paraffin: beta-Catenin Antibody (CTNNB1/1509) [NBP2-53366] - Formalin-fixed, paraffin-embedded human Pancreas stained with Beta-Catenin Monoclonal Antibody (CTNNB1/1509). Immunohistochemistry-Paraffin: beta-Catenin Antibody (CTNNB1/1509) [NBP2-53366] - Formalin-fixed, paraffin-embedded human Tonsil stained with Beta-Catenin Monoclonal Antibody (CTNNB1/1509). Immunohistochemistry-Paraffin: beta-Catenin Antibody (CTNNB1/1509) [NBP2-53366] - Formalin-fixed, paraffin-embedded Mouse Colon stained with Beta-Catenin Monoclonal Antibody (CTNNB1/1509).

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-53366-100ug

NBP1-43319-0.5mg NBP2-61628PEP	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) beta-Catenin Recombinant Protein Antigen
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-53366

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

