Product Datasheet

TIMP-2 Antibody (SPM356) [Janelia Fluor® 525] NBP2-54554JF525

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-54554JF525

Updated 8/20/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-54554JF525



NBP2-54554JF525

TIMP-2 Antibody (SPM356) [Janelia Fluor® 525]

Unit Size0.1 mlConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C in the dark.ClonalityMonoclonalCloneSPM356Preservative0.05% Sodium AzideIsotypeIgG2a KappaConjugateJanelia Fluor 525PurityProtein A or G purifiedBuffer50ml Sodium BorateProduct DescriptionMouseHostMouseGene BymbolTIMP2Specificity/SensitivityIt recognizes a protein of 21kDa, identified as tissue inhibitor of metaloproteinases:2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-2 or gelatinase A). P. It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-2 or gelatinase B). TIMP-2 inhibits the proteolytic invasiveness of tumor cells and normal placental trophoblast cells.ImmunogenAsynthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) CoBNDYGNPI) (Uniprot: P16035)NotesSold under license from the Howard Hughes Medical Institute, Janelia Research Campus.	Product Information	
services. Storage Store at 4C in the dark. Clonality Monoclonal Clone SPM356 Preservative 0.05% Sodium Azide Isotype IgG2a Kappa Conjugate Janelia Fluor 525 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Mouse Gene ID 7077 Gene Symbol TIMP2 Species Human, Mouse, Rat, Bovine, Guinea Pig, Rabbit, Zebrafish It recognizes a protein of 21kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-2 or gelatinase B). TIMP-2 inhibits the proteolytic invasiveness of tumor cells and normal placental trophoblast cells. Immunogen A synthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) (DSGNDIYGNPI) (Uniprot: P16035) Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research	Unit Size	0.1 ml
Clonality Monoclonal Clone SPM356 Preservative 0.05% Sodium Azide Isotype IgG2a Kappa Conjugate Janelia Fluor 525 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Mouse Gene ID 7077 Gene Symbol TIMP2 Species Human, Mouse, Rat, Bovine, Guinea Pig, Rabbit, Zebrafish Specificity/Sensitivity It recognizes a protein of 21kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2). It is Closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-9 or gelatinase B). TIMP-2 inhibits the proteolytic invasiveness of tumor cells and normal placental trophoblast cells. Immunogen A synthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) (DSGNDIYGNPI) (Uniprot: P16035) Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research	Concentration	•
CloneSPM356Preservative0.05% Sodium AzideIsotypeIgG2a KappaConjugateJanelia Fluor 525PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionMouseHostMouseGene ID7077Gene SymbolTIMP2SpeciesHuman, Mouse, Rat, Bovine, Guinea Pig, Rabbit, ZebrafishSpecificity/SensitivityIt recognizes a protein of 21kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affnity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-9 or gelatinase B). TIMP-2 inhibits the protolytic invasiveness of tumor cells and normal placental trophoblast cells.ImmunogenA synthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) (DSGNDIYGNPI) (Uniprot: P16035)NotesSold under license from the Howard Hughes Medical Institute, Janelia Research	Storage	Store at 4C in the dark.
Preservative0.05% Sodium AzideIsotypeIgG2a KappaConjugateJanelia Fluor 525PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionMouseGene ID7077Gene SymbolTIMP2SpeciesHuman, Mouse, Rat, Bovine, Guinea Pig, Rabbit, ZebrafishSpeciesHuman, Mouse, Rat, Bovine, Guinea Pig, Rabbit, ZebrafishSpecificity/SensitivityIt recognizes a protein of 21kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase of tumor cells and normal placental trophoblast cells.ImmunogenA synthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) (DSGNDIYGNPI) (Uniprot: P16035)NotesSold under license from the Howard Hughes Medical Institute, Janelia Research	Clonality	Monoclonal
IsotypeIgG2a KappaConjugateJanelia Fluor 525PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID7077Gene SymbolTIMP2SpeciesHuman, Mouse, Rat, Bovine, Guinea Pig, Rabbit, ZebrafishIt recognizes a protein of 21kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as fumor cells and normal placental trophoblast cells.ImmunogenA synthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) (DSGNDIYGNPI) (Uniprot: P16035)NotesSold under license from the Howard Hughes Medical Institute, Janelia Research	Clone	SPM356
ConjugateJanelia Fluor 525PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionMouseHostMouseGene ID7077Gene SymbolTIMP2SpeciesHuman, Mouse, Rat, Bovine, Guinea Pig, Rabbit, ZebrafishSpecificity/SensitivityIt recognizes a protein of 21kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-2 or gelatinase B). TIMP-2 inhibits the proteolytic invasiveness of tumor cells and normal placental trophoblast cells.ImmunogenA synthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) (DSGNDIYGNPI) (Uniprot: P16035)NotesSold under license from the Howard Hughes Medical Institute, Janelia Research	Preservative	0.05% Sodium Azide
PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID7077Gene SymbolTIMP2SpeciesHuman, Mouse, Rat, Bovine, Guinea Pig, Rabbit, ZebrafishSpecificity/SensitivityIt recognizes a protein of 21kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-9 or gelatinase B). TIMP-2 inhibits the proteolytic invasiveness of tumor cells and normal placental trophoblast cells.ImmunogenA synthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) (DSGNDIYGNPI) (Uniprot: P16035)NotesSold under license from the Howard Hughes Medical Institute, Janelia Research	Isotype	IgG2a Kappa
Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 7077 Gene Symbol TIMP2 Species Human, Mouse, Rat, Bovine, Guinea Pig, Rabbit, Zebrafish Specificity/Sensitivity It recognizes a protein of 21kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-9 or gelatinase B). TIMP-2 inhibits the proteolytic invasiveness of tumor cells and normal placental trophoblast cells. Immunogen A synthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) (DSGNDIYGNPI) (Uniprot: P16035) Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research	Conjugate	Janelia Fluor 525
Product Description Host Mouse Gene ID 7077 Gene Symbol TIMP2 Species Human, Mouse, Rat, Bovine, Guinea Pig, Rabbit, Zebrafish Specificity/Sensitivity It recognizes a protein of 21kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-9 or gelatinase B). TIMP-2 inhibits the proteolytic invasiveness of tumor cells and normal placental trophoblast cells. Immunogen A synthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) (DSGNDIYGNPI) (Uniprot: P16035) Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research	Purity	Protein A or G purified
HostMouseGene ID7077Gene SymbolTIMP2SpeciesHuman, Mouse, Rat, Bovine, Guinea Pig, Rabbit, ZebrafishSpecificity/SensitivityIt recognizes a protein of 21kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-9 or gelatinase B). TIMP-2 inhibits the proteolytic invasiveness of tumor cells and normal placental trophoblast cells.ImmunogenA synthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) (DSGNDIYGNPI) (Uniprot: P16035)NotesSold under license from the Howard Hughes Medical Institute, Janelia Research	Buffer	50mM Sodium Borate
Gene ID7077Gene SymbolTIMP2SpeciesHuman, Mouse, Rat, Bovine, Guinea Pig, Rabbit, ZebrafishSpecificity/SensitivityIt recognizes a protein of 21kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-9 or gelatinase B). TIMP-2 inhibits the proteolytic invasiveness of tumor cells and normal placental trophoblast cells.ImmunogenA synthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) (DSGNDIYGNPI) (Uniprot: P16035)NotesSold under license from the Howard Hughes Medical Institute, Janelia Research	Product Description	
Gene SymbolTIMP2SpeciesHuman, Mouse, Rat, Bovine, Guinea Pig, Rabbit, ZebrafishSpecificity/SensitivityIt recognizes a protein of 21kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-9 or gelatinase B). TIMP-2 inhibits the proteolytic invasiveness of tumor cells and normal placental trophoblast cells.ImmunogenA synthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) (DSGNDIYGNPI) (Uniprot: P16035)NotesSold under license from the Howard Hughes Medical Institute, Janelia Research	Host	Mouse
SpeciesHuman, Mouse, Rat, Bovine, Guinea Pig, Rabbit, ZebrafishSpecificity/SensitivityIt recognizes a protein of 21kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-9 or gelatinase B). TIMP-2 inhibits the proteolytic invasiveness of tumor cells and normal placental trophoblast cells.ImmunogenA synthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) (DSGNDIYGNPI) (Uniprot: P16035)NotesSold under license from the Howard Hughes Medical Institute, Janelia Research	Gene ID	7077
Specificity/SensitivityIt recognizes a protein of 21kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-9 or gelatinase B). TIMP-2 inhibits the proteolytic invasiveness of tumor cells and normal placental trophoblast cells.ImmunogenA synthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) (DSGNDIYGNPI) (Uniprot: P16035)NotesSold under license from the Howard Hughes Medical Institute, Janelia Research	Gene Symbol	TIMP2
metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-9 or gelatinase B). TIMP-2 inhibits the proteolytic invasiveness of tumor cells and normal placental trophoblast cells.ImmunogenA synthetic peptide from the N-terminus of human TIMP-2 protein (aa56-66) (DSGNDIYGNPI) (Uniprot: P16035)NotesSold under license from the Howard Hughes Medical Institute, Janelia Research	Species	Human, Mouse, Rat, Bovine, Guinea Pig, Rabbit, Zebrafish
(DSGNDIYGNPI) (Uniprot: P16035) Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research	Specificity/Sensitivity	metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92kDa Type IV collagenase (also known as MMP-9 or gelatinase B). TIMP-2 inhibits the proteolytic invasiveness of tumor cells and normal
Sold under license from the Howard Hughes Medical Institute, Janelia Research	Immunogen	
	Notes	5
Product Application Details	Product Application Details	
Applications Western Blot, Flow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready	Applications	Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin,
Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Flow (Intracellular), CyTOF-ready	Recommended Dilutions	Immunofluorescence, Immunohistochemistry-Paraffin, Flow (Intracellular),
Application Notes Ontimal dilution of this antibody should be experimentally determined	Application Notes	Optimal dilution of this antibody should be experimentally determined.
	- The second second	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-54554JF525

NBP2-61356-10ug	Recombinant Human TIMP-2 Protein
210-TA-005	TNF-alpha [Unconjugated]
DTM200	TIMP-2 [HRP]
DVE00	VEGF [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-54554JF525

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

