# **Product Datasheet**

# CD20 Antibody (rIGEL/773) [Allophycocyanin] NBP2-54591APC

Unit Size: 100 ul

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-54591APC

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-54591APC



# NBP2-54591APC

CD20 Antibody (rIGEL/773) [Allophycocyanin]

| CD20 Antibody (rIGEL/773) [A       | llophycocyaninj  |
|------------------------------------|--|
| Product Information                |  |
| Unit Size                          | 100 ul   |
| Concentration                      | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                            | Store at 4C in the dark.   |
| Clonality                          | Monoclonal   |
| Clone                              | rIGEL/773  |
| Preservative                       | 0.05% Sodium Azide   |
| Isotype                            | IgG1 Kappa   |
| Conjugate                          | Allophycocyanin  |
| Purity                             | Protein A or G purified  |
| Buffer                             | PBS  |
| <b>Product Description</b>         |  |
| Description                        | This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.  |
| Host                               | Mouse  |
| Gene ID                            | 931  |
| Gene Symbol                        | MS4A1  |
| Species                            | Human  |
| Marker                             | B-Cell Marker  |
| Specificity/Sensitivity            | Recognizes a protein of 30-33kDa, which is identified as CD20. It is a non-Ig differentiation antigen of B-cells and its expression is restricted to normal and neoplastic B-cells, being absent from all other leukocytes and tissues. CD20 is expressed by pre-B-cells and persists during all stages of B-cell maturation but is lost upon terminal differentiation into plasma cells. This monoclonal antibody can be used for immunophenotyping of leukemia and malignant cells, B lymphocyte detection in peripheral blood and B cell localization in tissues. It reacts with the majority of B-cells present in peripheral blood and lymphoid tissues and their derived lymphomas. In lymphoid tissue, germinal center blasts and B-immunoblasts are particularly reactive. It is a reliable antibody for ascribing a B-cell phenotype in known lymphoid tissues. Rarely, CD20-positive T-cell lymphomas have been reported. Reactivity has also been noted with Reed-Sternberg cells in cases of Hodgkin s disease, particularly of lymphocyte predominant type. |
| Immunogen                          | Recombinant full-length human CD20 fragment (Uniprot: P11836)  |
| <b>Product Application Details</b> |  |
| Applications                       | Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Protein Array, CyTOF-ready   |
| Recommended Dilutions              | Flow Cytometry, Immunohistochemistry, Immunocytochemistry/<br>Immunofluorescence, Immunohistochemistry-Paraffin, Protein Array, CyTOF-<br>ready  |
| Application Notes                  | Optimal dilution of this antibody should be experimentally determined.   |
|                                    |  |



# **Images**

CD20 Antibody (rIGEL/773) [Allophycocyanin] [NBP2-54591APC] - Vial of APC conjugated antibody. APC is optimally excited at 650 nm by the Red laser (633 or 640 nm) and has an emission maximum of 660 nm.





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP2-54591APC**

IC002A Mouse IgG1 Isotype Control (11711) [Allophycocyanin]

NBP2-61455-10ug Recombinant Human CD20 His Protein

210-TA-005 TNF-alpha [Unconjugated]
NBL1-13312 CD20 Overexpression Lysate

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-54591APC

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

