

Product Datasheet

Kynurenine 3-Monooxygenase/KMO Antibody - BSA Free NBP2-54915

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-54915

Updated 2/23/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-54915



NBP2-54915**Kynurenine 3-Monooxygenase/KMO Antibody - BSA Free**


Product Information	
Unit Size	100 ul
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description	
Host	Rabbit
Gene ID	8564
Gene Symbol	KMO
Species	Human
Reactivity Notes	Mouse 83%, Rat 81%
Immunogen	This antibody was developed against a recombinant protein corresponding to the following amino acid sequence: IALPNMNKSFTCTLFMPFEEFEKLLTSNDVVDFFQKYFPDAIPLIGEKLLVQDFFL LPAQPMISVKCSSFHFKSHCVLLGDAAHAI


Product Application Details	
Applications	Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry 1:200 - 1:500, Immunohistochemistry-Paraffin 1:200 - 1:500
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended.

Images


Immunohistochemistry-Paraffin: Kynurenine 3-Monooxygenase/KMO Antibody [NBP2-54915] - Immunohistochemical staining of human kidney shows strong cytoplasmic positivity in cells in tubules.




Staining of human endometrium, kidney, liver and testis using NBP2-54915 (A) shows similar protein distribution across tissues to independent antibody NBP1-86335 (B).



Staining of human liver shows strong cytoplasmic granular positivity in hepatocytes.




Staining of human kidney shows strong cytoplasmic granular positivity in cells in tubules.




Staining of human endometrium shows strong cytoplasmic granular positivity in glandular cells.



Analysis in human liver and testis tissues. Corresponding KMO RNA-seq data are presented for the same tissues.



Staining of human testis shows no positivity in cells in seminiferous ducts as expected.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-54915

NBP2-54915PEP	Kynurenine 3-Monooxygenase/KMO Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-54915

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

