## **Product Datasheet**

### Opticin Antibody - BSA Free NBP2-55115

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-55115

Updated 2/23/2025 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-55115



#### NBP2-55115

**Opticin Antibody - BSA Free** 

Product Information		
Unit Size	100 ul	
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Clonality	Polyclonal	
Preservative	0.02% Sodium Azide	
Isotype	IgG	
Purity	Affinity purified	
Buffer	PBS (pH 7.2) and 40% Glycerol	
Product Description		
Host	Rabbit	
Gene ID	26254	
Gene Symbol	OPTC	
Species	Human	
Immunogen	This antibody was developed against a recombinant protein corresponding to the following amino acid sequence: LPRKERKRREEQMPREGDSFEVLPLRNDVLNPDNYGEVIDLSNYEELTDYGDQ LPEVKVTSLAPATSISP	
Product Application Details		
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin	
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:500 - 1:1000, Immunohistochemistry-Paraffin 1:500 - 1:1000	
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended.	

#### Images

Western Blot: Opticin Antibody [NBP2-55115] - Analysis in control (vector only transfected HEK293T lysate) and OPTC over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (3.1 kDa) in mammalian HEK293T cells).


[kDa]	control OPTC
250	
130	-
95	-
72	
55	
36	-
28	-
17	-
10	



Immunohistochemistry-Paraffin: Opticin Antibody [NBP2-55115] -Staining of human kidney. Immunohistochemistry-Paraffin: Opticin Antibody [NBP2-55115] -Staining of human eye shows moderate positivity in vitreous of the eye. Immunohistochemistry-Paraffin: Opticin Antibody [NBP2-55115] -Staining of human duodenum, eye, kidney and lymph node using Anti-OPTC antibody NBP2-55115 (A) shows similar protein distribution across tissues to independent antibody NBP1-85914 (B). Immunohistochemistry-Paraffin: Opticin Antibody [NBP2-55115] -Staining of human lymph node.



Immunohistochemistry-Paraffin: Opticin Antibody [NBP2-55115] - Staining of human duodenum.



www.novusbio.com





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-55115

NBP2-55115PEP	Opticin Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-55115

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

