Product Datasheet

TFIIE-alpha Antibody - BSA Free NBP2-58120

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-58120

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-58120



NBP2-58120

TFIIE-alpha Antibody - BSA Free

Product Information Unit Size 100 ul Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Affinity purified Buffer PS (pl 7.2) and 40% Glycerol Product Description 2960 Host Rabbit Gene ID 2960 Gene Symbol GTF2E1 Species Human Reactivity Notes Mouse 88%, Rat 88% Immunogen This antibody was developed against a recombinant protein corresponding to the following amino acid sequence: CySKDHATTGAASLAGHHREAWATKGPSYEDLYTQNVVINMDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFQEREEGHAGPDDNE EVMRALLIHEKKTSSAMAGSVGAAAPVTAANGSDSE Product Application Details Immunocytochemistry/Immunofluorescence 0.25-2 ug/ml Application Notes Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use PFA/Triton X-100.		
ConcentrationConcentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.StorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityAffinity purifiedBufferPBS (pH 7.2) and 40% GlycerolProduct DescriptionRabbitHostRabbitGene ID2960Gene SymbolGTF2E1SpeciesHumanReactivity NotesMouse 88%, Rat 88%ImmunogenThis antibody was developed against a recombinant protein corresponding to the following amino acid sequence: QSKDHAATTAGAASLAGGHHREAWATKGPSYEDLYTQNVVINMDDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFGEREEGHAGPDDNEProduct Application DetailsImmunofluorescenceApplicationsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Information	
contact technical services.StorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.02% Sodium AzidetsotypeIgGPurityAffinity purifiedBufferPBS (pH 7.2) and 40% GlycerolProduct Description2960Gene ID2960Gene SymbolGTF2E1SpeciesHumanReactivity NotesMouse 88%, Rat 88%ImmunogenThis antibody was developed against a recombinant protein corresponding to the following amino acid sequence: eVMRALLIHEKKTSSAMAGSVGAAAPVTAANGSDSEProduct Application DetailsImmunofluorescenceApplicationsImmunocytochemistry/ImmunofluorescenceRecommended DilutionsImmunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Unit Size	100 ul
cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityAffinity purifiedBufferPBS (pH 7.2) and 40% GlycerolProduct DescriptionRabbitHostRabbitGene ID2960Gene SymbolGTF2E1SpeciesHumanReactivity NotesMouse 88%, Rat 88%ImmunogenThis antibody was developed against a recombinant protein corresponding to the following amino acid sequence: QSKDHAATTAGAASLAGGHHREAWATKGPSYEDLYTQNVVINMDDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFQEREEGHAGPDDNE EVMRALLIHEKKTSSAMAGSVGAAAPVTAANGSDSEProduct Application DetailsImmunofluorescenceApplicationsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Concentration	
Preservative0.02% Sodium AzideIsotypeIgGPurityAffinity purifiedBufferPBS (pH 7.2) and 40% GlycerolProduct DescriptionPoduct DescriptionHostRabbitGene ID2960Gene SymbolGTF2E1SpeciesHumanReactivity NotesMouse 88%, Rat 88%ImmunogenThis antibody was developed against a recombinant protein corresponding to the following amino acid sequence: QSKDHAATTAGAASLAGGHHREAWATKGPSYEDLYTQNVVINMDDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFQEREEGHAGPDDNEProduct Application DetailsImmunocytochemistry/ ImmunofluorescenceApplicationsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Storage	
IsotypeIgGPurityAffinity purifiedBufferPBS (pH 7.2) and 40% GlycerolProduct DescriptionHostRabbitGene ID2960Gene SymbolGTF2E1SpeciesHumanReactivity NotesMouse 88%, Rat 88%ImmunogenThis antibody was developed against a recombinant protein corresponding to the following amino acid sequence: QSKDHAATTAGAASLAGGHIREAWATKGPSYEDLYTQNVVINMDDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFQEREEGHAGPDDNEProduct Application DetailsImmunocytochemistry/ ImmunofluorescenceApplicationsImmunocytochemistry/ Immunofluorescence Fixation Permeabilization: Use	Clonality	Polyclonal
Purity Affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Rabbit Host Rabbit Gene ID 2960 Gene Symbol GTF2E1 Species Human Reactivity Notes Mouse 88%, Rat 88% Immunogen This antibody was developed against a recombinant protein corresponding to the following amino acid sequence: QSKDHAATTAGAASLAGGHHREAWATKGPSYEDLYTQNVVINMDDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFQEREEGHAGPDDNE Product Application Details Immunocytochemistry/ Immunofluorescence Applications Immunocytochemistry/ Immunofluorescence Recommended Dilutions Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Preservative	0.02% Sodium Azide
Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 2960 Gene Symbol GTF2E1 Species Human Reactivity Notes Mouse 88%, Rat 88% Immunogen This antibody was developed against a recombinant protein corresponding to the following amino acid sequence: QSKDHAATTAGAASLAGGHHREAWATKGPSYEDLYTQNVVINMDDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFQEREEGHAGPDDNE EVMRALLIHEKKTSSAMAGSVGAAAPVTAANGSDSE Product Application Details Immunocytochemistry/ Immunofluorescence Applications Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml Application Notes Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Isotype	IgG
Product Description Host Rabbit Gene ID 2960 Gene Symbol GTF2E1 Species Human Reactivity Notes Mouse 88%, Rat 88% Immunogen This antibody was developed against a recombinant protein corresponding to the following amino acid sequence: QSKDHAATTAGAASLAGGHHREAWATKGPSYEDLYTQNVVINMDDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFQEREEGHAGPDDNE EVMRALLIHEKKTSSAMAGSVGAAAPVTAANGSDSE Product Application Details Immunocytochemistry/ Immunofluorescence Recommended Dilutions Immunocytochemistry/Immunofluorescence 0.25-2 ug/ml Application Notes Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Purity	Affinity purified
HostRabbitGene ID2960Gene SymbolGTF2E1SpeciesHumanReactivity NotesMouse 88%, Rat 88%ImmunogenThis antibody was developed against a recombinant protein corresponding to the following amino acid sequence: QSKDHAATTAGAASLAGGHHREAWATKGPSYEDLYTQNVVINMDDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFQEREEGHAGPDDNEProduct Application DetailsImmunocytochemistry/ ImmunofluorescenceApplicationsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Buffer	PBS (pH 7.2) and 40% Glycerol
Gene ID2960Gene SymbolGTF2E1SpeciesHumanReactivity NotesMouse 88%, Rat 88%ImmunogenThis antibody was developed against a recombinant protein corresponding to the following amino acid sequence: QSKDHAATTAGAASLAGGHHREAWATKGPSYEDLYTQNVVINMDDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFQEREEGHAGPDDNEProduct Application DetailsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/ Immunofluorescence 0.25-2 ug/mlApplication NotesImmunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Description	
Gene SymbolGTF2E1SpeciesHumanReactivity NotesMouse 88%, Rat 88%ImmunogenThis antibody was developed against a recombinant protein corresponding to the following amino acid sequence: QSKDHAATTAGAASLAGGHHREAWATKGPSYEDLYTQNVVINMDDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFQEREEGHAGPDDNE EVMRALLIHEKKTSSAMAGSVGAAAPVTAANGSDSEProduct Application DetailsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/ Immunofluorescence 0.25-2 ug/mlApplication NotesImmunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Host	Rabbit
SpeciesHumanReactivity NotesMouse 88%, Rat 88%ImmunogenThis antibody was developed against a recombinant protein corresponding to the following amino acid sequence: QSKDHAATTAGAASLAGGHHREAWATKGPSYEDLYTQNVVINMDDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFQEREEGHAGPDDNE EVMRALLIHEKKTSSAMAGSVGAAAPVTAANGSDSEProduct Application DetailsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/ Immunofluorescence 0.25-2 ug/mlApplication NotesImmunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Gene ID	2960
Reactivity NotesMouse 88%, Rat 88%ImmunogenThis antibody was developed against a recombinant protein corresponding to the following amino acid sequence: QSKDHAATTAGAASLAGGHHREAWATKGPSYEDLYTQNVVINMDDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFQEREEGHAGPDDNE EVMRALLIHEKKTSSAMAGSVGAAAPVTAANGSDSEProduct Application DetailsImmunocytochemistry/ ImmunofluorescenceApplicationsImmunocytochemistry/ Immunofluorescence 0.25-2 ug/mlApplication NotesImmunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Gene Symbol	GTF2E1
ImmunogenThis antibody was developed against a recombinant protein corresponding to the following amino acid sequence: QSKDHAATTAGAASLAGGHHREAWATKGPSYEDLYTQNVVINMDDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFQEREEGHAGPDDNE EVMRALLIHEKKTSSAMAGSVGAAAPVTAANGSDSEProduct Application DetailsImmunocytochemistry/ImmunofluorescenceApplicationsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/Immunofluorescence 0.25-2 ug/mlApplication NotesImmunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Species	Human
following amino acid sequence: QSKDHAATTAGAASLAGGHHREAWATKGPSYEDLYTQNVVINMDDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFQEREEGHAGPDDNE EVMRALLIHEKKTSSAMAGSVGAAAPVTAANGSDSEProduct Application DetailsImmunocytochemistry/ ImmunofluorescenceApplicationsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/ Immunofluorescence 0.25-2 ug/mlApplication NotesImmunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Reactivity Notes	Mouse 88%, Rat 88%
Applications Immunocytochemistry/ Immunofluorescence Recommended Dilutions Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml Application Notes Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Immunogen	following amino acid sequence: QSKDHAATTAGAASLAGGHHREAWATKGPSYEDLYTQNVVINMDDQEDLHRA SLEGKSAKERPIWLRESTVQGAYGSEDMKEGGIDMDAFQEREEGHAGPDDNE
Recommended Dilutions Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml Application Notes Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Application Details	
Application Notes Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Applications	Immunocytochemistry/ Immunofluorescence
	Recommended Dilutions	Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml
	Application Notes	

Images

Immunocytochemistry/Immunofluorescence: TFIIE-alpha Antibody [NBP2-58120] - Staining of human cell line PC-3 shows localization to nucleus.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-58120

NBP2-58120PEP	TFIIE-alpha Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-58120

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

