Product Datasheet

Glyoxalase I Antibody (9F11) - BSA Free NBP2-59369

Unit Size: 100 ug

Store at -20C.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-59369

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-59369



NBP2-59369


Glyoxalase I Antibody (9F11) - BSA Free

| Product Information Unit Size 100 ug Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at -20C. Clonality Monoclonal Clone 9F11 Preservative 0.09% Sodium Azide Isotype IgG1 Purity Protein G purified Buffer PBS (pH 7.4), 50% Glycerol Product Description House Gene ID 2739 Gene Symbol GLO1 Species Non-species specific Specific for Methylglyoxal modified proteins. Does not detect free Methylglyoxal. Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Cronaldehyde modified proteins. Immunogen Synthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH). Product Application Details Western Blot, ELISA, Flow Cytometry 1:50, ELISA 1:1000, Immunocytochemistry/Immunofluorescence Recommended Dilutions Western Blot, FLISA, Flow Cytometry 1:50, ELISA 1:1000, Immunocytochemistry/Immunofluorescence | | |
|---|-----------------------------|---|
| ConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at -20C.ClonalityMonoclonalClone9F11Preservative0.09% Sodium AzideIsotypeIgG1PurityProtein G purifiedBufferPBS (pH 7.4), 50% GlycerolProduct DescriptionHostMouseGene ID2739Gene SymbolGLO1SpeciesNon-species specificSpecificity/SensitivitySpecific for Methylglyoxal modified proteins. Does not detect free Methylglyoxal. Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Crotonaldehyde modified proteins.ImmunogenSynthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH).Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Product Information | |
| services.StorageStore at -20C.ClonalityMonoclonalClone9F11Preservative0.09% Sodium AzideIsotypeIgG1PurityProtein G purifiedBufferPBS (pH 7.4), 50% GlycerolProduct DescriptionHostMouseGene ID2739Gene SymbolGLO1SpeciesNon-species specificSpecificity/SensitivitySpecific for Methylglyoxal modified proteins. Does not detect free Methylglyoxal. Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Crotonaldehyde modified proteins.ImmunogenSynthetic Methylglyoxal modified Kybole Limpet Hemocyanin (KLH).Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot, 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Unit Size | 100 ug |
| ClonalityMonoclonalClonalityMonoclonalClone9F11Preservative0.09% Sodium AzideIsotypeIgG1PurityProtein G purifiedBufferPBS (pH 7.4), 50% GlycerolProduct DescriptionHostMouseGene ID2739Gene SymbolGLO1SpeciesNon-species specificSpecificity/SensitivitySpecific for Methylglyoxal modified proteins. Does not detect free Methylglyoxal. Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Crotonaldehyde modified proteins.ImmunogenSynthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH).Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Concentration | |
| Clone9F11Preservative0.09% Sodium AzideIsotypeIgG1PurityProtein G purifiedBufferPBS (pH 7.4), 50% GlycerolProduct DescriptionMouseGene ID2739Gene SymbolGLO1SpeciesNon-species specificSpecificity/SensitivitySpecific for Methylglyoxal modified proteins. Does not detect free Methylglyoxal. Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Crotonaldehyde modified proteins.ImmunogenSynthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH).Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Storage | Store at -20C. |
| Preservative0.09% Sodium AzideIsotypeIgG1PurityProtein G purifiedBufferPBS (pH 7.4), 50% GlycerolProduct DescriptionMouseHostMouseGene ID2739Gene SymbolGLO1SpeciesNon-species specificSpecificity/SensitivitySpecific for Methylglyoxal modified proteins. Does not detect free Methylglyoxal. Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Crotonaldehyde modified proteins.ImmunogenSynthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH).Product Application Details ApplicationsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Clonality | Monoclonal |
| IsotypeIgG1IsotypeIgG1PurityProtein G purifiedBufferPBS (pH 7.4), 50% GlycerolProduct DescriptionMouseHostMouseGene ID2739Gene SymbolGLO1SpeciesNon-species specificSpecificity/SensitivitySpecific for Methylglyoxal modified proteins. Does not detect free Methylglyoxal. Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Crotonaldehyde modified proteins.ImmunogenSynthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH).Product Application Details ApplicationsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Clone | 9F11 |
| Purity Protein G purified Buffer PBS (pH 7.4), 50% Glycerol Product Description Mouse Host Mouse Gene ID 2739 Gene Symbol GLO1 Species Non-species specific Specificity/Sensitivity Specific for Methylglyoxal modified proteins. Does not detect free Methylglyoxal. Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Crotonaldehyde modified proteins. Immunogen Synthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH). Product Application Details Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Preservative | 0.09% Sodium Azide |
| Buffer PBS (pH 7.4), 50% Glycerol Product Description Host Mouse Gene ID 2739 Gene Symbol GLO1 Species Non-species specific Specificity/Sensitivity Specific for Methylglyoxal modified proteins. Does not detect free Methylglyoxal. Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Crotonaldehyde modified proteins. Immunogen Synthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH). Product Application Details Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Isotype | IgG1 |
| Product Description Host Mouse Gene ID 2739 Gene Symbol GLO1 Species Non-species specific Specificity/Sensitivity Specific for Methylglyoxal modified proteins. Does not detect free Methylglyoxal. Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Crotonaldehyde modified proteins. Immunogen Synthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH). Product Application Details Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Purity | Protein G purified |
| HostMouseGene ID2739Gene SymbolGLO1SpeciesNon-species specificSpecificity/SensitivitySpecific for Methylglyoxal modified proteins. Does not detect free Methylglyoxal. Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Crotonaldehyde modified proteins.ImmunogenSynthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH).Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Buffer | PBS (pH 7.4), 50% Glycerol |
| Gene ID2739Gene SymbolGLO1SpeciesNon-species specificSpecificity/SensitivitySpecific for Methylglyoxal modified proteins. Does not detect free Methylglyoxal. Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Crotonaldehyde modified proteins.ImmunogenSynthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH).Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Product Description | |
| Gene SymbolGLO1SpeciesNon-species specificSpecificity/SensitivitySpecific for Methylglyoxal modified proteins. Does not detect free Methylglyoxal. Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Crotonaldehyde modified proteins.ImmunogenSynthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH).Product Application Details ApplicationsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Host | Mouse |
| SpeciesNon-species specificSpecificity/SensitivitySpecific for Methylglyoxal modified proteins. Does not detect free Methylglyoxal. Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Crotonaldehyde modified proteins.ImmunogenSynthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH).Product Application Details ApplicationsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Gene ID | 2739 |
| Specificity/SensitivitySpecific for Methylglyoxal modified proteins. Does not detect free Methylglyoxal. Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Crotonaldehyde modified proteins.ImmunogenSynthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH).Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Gene Symbol | GLO1 |
| Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- Hydroxy-2-hexenal, 4-Hydroxy nonenal, or Crotonaldehyde modified proteins.ImmunogenSynthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH).Product Application Details ApplicationsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Species | Non-species specific |
| Product Application Details Applications Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Specificity/Sensitivity | Does not cross-react with Acrolein, Hexanoyl Lysine, Malondialdeyhde, 4- |
| ApplicationsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsWestern Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Immunogen | Synthetic Methylglyoxal modified Keyhole Limpet Hemocyanin (KLH). |
| Immunofluorescence Recommended Dilutions Western Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, | Product Application Details | |
| ······································ | Applications | |
| minution y to the minution of the trade | Recommended Dilutions | Western Blot 1:1000, Flow Cytometry 1:50, ELISA 1:1000, Immunocytochemistry/ Immunofluorescence 1:50 |




Images


Western Blot: Glyoxalase I Antibody (9F11) [NBP2-59369] - Western Blot analysis of Glyoxalase I-BSA Conjugate showing detection of 67 kDa Glyoxalase I protein using Mouse Anti-Glyoxalase I Monoclonal Antibody, Clone 9F11 (NBP2-59369). Lane 1: Molecular Weight Ladder (MW). Lane 2: Glyoxalase I-BSA. Lane 3: BSA. Load: 0.5 ug. Block: 5% Skim Milk in TBST. Primary Antibody: Mouse Anti-Glyoxalase I Monoclonal Antibody (NBP2-59369) at 1:1000 for 2 hours at RT. Secondary Antibody: Goat Anti-Mouse IgG: HRP at 1:1000 for 60 min at RT. Color Development: ECL solution for 5 min in RT. Predicted/Observed Size: 67 kDa.



Immunocytochemistry/Immunofluorescence: Glyoxalase I Antibody (9F11) [NBP2-59369] - Tissue: Embryonic kidney cells (HEK293). Species: Human. Fixation: 5% Formaldehyde for 5 min. Primary Antibody: Mouse Anti-Methylglyoxal Monoclonal Antibody at 1:50 for 30-60 min at RT. Secondary Antibody: Goat Anti-Mouse Alexa Fluor 488 at 1:1500 for 30-60 min at RT. Counterstain: Phalloidin Alexa Fluor 633 F-Actin stain; DAPI (blue) nuclear stain at 1:250, 1:50000 for 30-60 min at RT. Magnification: 20X (2X Zoom Courtesy of: Dr. Robert Burke, University of Victoria.

Flow Cytometry: Glyoxalase I Antibody (9F11) [NBP2-59369] - Flow Cytometry analysis using Mouse Anti-Glyoxalase I Monoclonal Antibody, Clone 9F11 (NBP2-59369). Tissue: Neuroblastoma cells (SH-SY5Y). Species: Human. Fixation: 90% Methanol. Primary Antibody: Mouse Anti-Glyoxalase I Monoclonal Antibody (NBP2-59369) at 1:50 for 30 min on ice. Secondary Antibody: Goat Anti-Mouse: PE at 1:100 for 20 min at RT. Isotype Control: Non Specific IgG. Cells were subject to oxidative stress by treating with 250 M H2O2 for 24 hours.









Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-59369

| NBP2-56695PEP | Glyoxalase I Recombinant Protein Antigen |
|------------------|---|
| NBP1-97005-0.5mg | Mouse IgG1 Isotype Control (MG1) |
| NB720-B | Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin] |
| HAF007 | Goat anti-Mouse IgG Secondary Antibody [HRP] |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-59369

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

