# **Product Datasheet**

# Bcl-6 Antibody (BCL6/1475) [mFluor Violet 610 SE] NBP2-59597MFV610

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-59597MFV610

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-59597MFV610



### NBP2-59597MFV610

Bcl-6 Antibody (BCL6/1475) [mFluor Violet 610 SE]

| Product Information |  |
|---------------------|--|
|---------------------|--|

| Product Information                                  |   |  |
|--|---|--|
| Unit Size  | 0.1 ml  |  |
| Concentration  | Please see the vial label for concentration. If unlisted please contact technical services.   |  |
| Storage  | Store at 4C in the dark.  |  |
| Clonality  | Monoclonal  |  |
| Clone  | BCL6/1475   |  |
| Preservative   | 0.05% Sodium Azide  |  |
| Isotype  | IgG1 Kappa  |  |
| Conjugate  | mFluor Violet 610 SE  |  |
| Purity   | Protein A or G purified   |  |
| Buffer   | 50mM Sodium Borate  |  |
| Product Description                                  |   |  |
| Host   | Mouse   |  |
| Gene ID  | 604   |  |
| Gene Symbol  | BCL6  |  |
| Species  | Human   |  |
| Marker   | Follicular Lymphoma Marker  |  |
| Specificity/Sensitivity                              | The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of 95kDa, which is identified as Bcl-6. Antibody to bcl-6 is helpful in a number of diagnostic settings: (1) In the differential diagnosis of small B-cell lymphoma. Follicular lymphoma will show bcl-6 (and CD10) positivity whereas other small B-cell lymphomas are usually negative. (2) Bcl-6 is an important prognostic marker in diffuse large B-cell lymphomas (DLBCL), where CD10, bcl-6 and MUM1/IRF4 are used to identify germinal center and activated B-cell phenotypes. (3) Bcl-6 can be valuable in distinguishing classical Hodgkin lymphoma from nodular lymphocyte predominant Hodgkin lymphoma (NLPHL). The Reed-Sternberg cells of classical Hodgkin lymphoma are bcl-6 negative whereas the large ('LH') cells of NLPHL are bcl-6 positive. In contrast, anti-Bcl-6 |  |
|  | rarely stains mantle-cell lymphoma and MALT lymphoma.   |  |
| Immunogen  | rarely stains mantle-cell lymphoma and MALT lymphoma.<br>Recombinant human bcl-6 protein fragment (around aa256-389) (exact<br>sequence is proprietary) (Uniprot: P41182)   |  |
| Immunogen<br>Notes                                   | Recombinant human bcl-6 protein fragment (around aa256-389) (exact  |  |
|  | Recombinant human bcl-6 protein fragment (around aa256-389) (exact<br>sequence is proprietary) (Uniprot: P41182)<br>mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on<br>demand. Actual recovery may vary from the stated volume of this product. The   |  |
| Notes  | Recombinant human bcl-6 protein fragment (around aa256-389) (exact<br>sequence is proprietary) (Uniprot: P41182)<br>mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on<br>demand. Actual recovery may vary from the stated volume of this product. The   |  |
| Notes Product Application Details                    | Recombinant human bcl-6 protein fragment (around aa256-389) (exact sequence is proprietary) (Uniprot: P41182)<br>mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.  |  |
| Notes<br>Product Application Details<br>Applications | Recombinant human bcl-6 protein fragment (around aa256-389) (exact<br>sequence is proprietary) (Uniprot: P41182)<br>mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on<br>demand. Actual recovery may vary from the stated volume of this product. The<br>volume will be greater than or equal to the unit size stated on the datasheet.<br>Western Blot, Flow Cytometry, Protein Array, CyTOF-ready   |  |

www.novusbio.com



#### Images

Bcl-6 Antibody (BCL6/1475) [mFluor Violet 610 SE] [NBP2-59597MFV610] - Vial of mFluor Violet 610 conjugated antibody. mFluor Violet 610 is optimally excited at 421 nm by the Violet laser (405 nm) and has an emission maximum of 613 nm.







## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

### Products Related to NBP2-59597MFV610

| H00000604-Q01-10ug | Recombinant Human Bcl-6 GST (N-Term) Protein |
|--------------------|--|
| 594-ML-010         | IL-21 [Unconjugated]                         |
| NBL1-07951         | Bcl-6 Overexpression Lysate                  |
| NB600-235          | BLIMP1/PRDM1 Antibody (3H2-E8) - BSA Free    |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-59597MFV610

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

