Product Datasheet

NAA10 Antibody (3G3B9) - BSA Free NBP2-61891

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-61891

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-61891



NBP2-61891

NAA10 Antibody (3G3B9) - BSA Free


0.1 ml
1 mg/ml
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Monoclonal
3G3B9
0.05% Sodium Azide
IgG1
Protein G purified
PBS
26.5 kDa

Product Description	
Description	Novus Biologicals Mouse NAA10 Antibody (3G3B9) - BSA Free (NBP2-61891) is a monoclonal antibody validated for use in WB, ELISA, Flow and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	8260
Gene Symbol	NAA10
Species	Human, Mouse, Monkey
Immunogen	Purified recombinant fragment of human NAA10 (AA: 111-235) expressed in E. Coli.


Product Application Details	
II • •	Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Western Blot 1:500-1:2000, Flow Cytometry 1:200-1:400, ELISA 1:10000, Immunocytochemistry/ Immunofluorescence 1:200-1:1000

Images


Western Blot: NAA10 Antibody (3G3B9) [NBP2-61891] - Analysis using NAA10 mAb against HEK293 (1) and NAA10 (AA: 111-235)-hlgGFc transfected HEK293 (2) cell lysate.




Immunocytochemistry/Immunofluorescence: NAA10 Antibody (3G3B9) [NBP2-61891] - Analysis of Hela cells using NAA10 mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor- 555 phalloidin. Goat anti-Mouse IgG (H+L) DyLight 488 secondary antibody was used.




Flow Cytometry: NAA10 Antibody (3G3B9) [NBP2-61891] - Analysis of SMMC-7721 cells using NAA10 mouse mAb (green) and negative control (red).




Western Blot: NAA10 Antibody (3G3B9) [NBP2-61891] - Analysis using NAA10 mAb against human NAA10 (AA: 111-235) recombinant protein. (Expected MW is 47.2 kDa)



Western Blot: NAA10 Antibody (3G3B9) [NBP2-61891] - Analysis using NAA10 mouse mAb against COS7 (1), HEK293 (2), HL-60 (3), MCF-7 (4), Hela (5), NIH/3T3 (6), and C2C12 (7) cell lysate.



ELISA: NAA10 Antibody (3G3B9) [NBP2-61891] - Black line: Control Antigen (100 ng); Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-61891

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NBP1-72403-100ug Recombinant Human NAA10 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-61891

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

