Product Datasheet CD1c/BDCA-1 Antibody (L161) [FITC] NBP2-62220F

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-62220F

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-62220F



NBP2-62220F

CD1c/BDCA-1 Antibody (L161) [FITC]

· · · · · · · · · · · · · · · · · · ·	-		
Product Information			
Unit Size	0.1 ml		
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.		
Storage	Store at 4C in the dark.		
Clonality	Monoclonal		
Clone	L161		
Preservative	0.05% Sodium Azide		
Isotype	IgG1 Kappa		
Conjugate	FITC		
Purity	Protein A purified		
Buffer	PBS		
Product Description			
Host	Mouse		
Gene ID	911		
Gene Symbol	CD1C		
Species	Human		
Specificity/Sensitivity	The antibody MEM-97 reacts with CD20 (Bp35), a 33-37 kDa non-glycosylated membrane receptor with four transmembrane domains, expressed on B lymphocytes (it is lost on plasma cells), follicular dendritic cells, and at low levels on peripheral blood T lymphocytes.		
Immunogen	human thymocytes		
Product Application Details			
Applications	Flow Cytometry, Flow (Cell Surface), Immunohistochemistry, Immunoprecipitation		
Recommended Dilutions	Flow Cytometry, Immunohistochemistry, Immunoprecipitation, Flow (Cell Surface)		
Application Notes	Optimal dilution of this antibody should be experimentally determined.		

Images

CD1c/BDCA-1 Antibody (L161) [FITC] [NBP2-62220F] - Vial of FITC conjugated antibody. FITC is optimally excited at 498 nm by the Blue laser (488 nm) and has an emission maximum of 519 nm.

FITC FITC EXCITATION MAX (nm) 498 519			
FITC EXCITATION MAX (nm) EMISSION MAX (nm)			
FITC FILTER EXCITATION MAX (nm) EMISSION MAX (nm)	and the second	EITC	
Blue (488) 525/50 Excitation Max (nm) EMission Max (nm)		FIIC	
Blue (488) 525/50 Excitation Max (nm) EMission Max (nm)		LACED (nm)	
EXCITATION MAX (nm) EMISSION MAX (nm)	FITC		

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-62220F

NBP1-43319F	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [FITC]
H00000911-Q01-10ug	Recombinant Human CD1c/BDCA-1 GST (N-Term) Protein
210-TA-005	TNF-alpha [Unconjugated]
NBP2-08178	CD1c/BDCA-1 Overexpression Lysate

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-62220F

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

