Product Datasheet

u-Plasminogen Activator/Urokinase Antibody (JM106-09) NBP2-66766

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-66766

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-66766



NBP2-66766

u-Plasminogen Activator/Urokinase Antibody (JM106-09)

u-riasminogen Activator/Orokinase Antibody (Sivi 100-03)		
100 ul		
1 mg/ml		
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.		
Monoclonal		
JM106-09		
0.05% Sodium Azide		
IgG		
Protein A purified		
TBS (pH7.4), 0.05% BSA, 40% Glycerol		
Rabbit		
5328		
PLAU		
Human, Mouse, Rat		
Synthetic peptide within Human u-Plasminogen Activator/Urokinase aa 50-99 / 431. (SwissProt: P00749 Human; SwissProt: P06869 Mouse; SwissProt: P29598 Rat)		
Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin		
Western Blot 1:500-1:2000, Immunohistochemistry, Immunohistochemistry- Paraffin 1:50-1:200		

Images

Western Blot: u-Plasminogen Activator/Urokinase Antibody (JM106-09) [NBP2-66766] - Analysis of Urokinase on different lysates. Proteins wer transferred to a PVDF membrane and blocked with 5% BSA in PBS for hour at room temperature. The primary antibody (1/500) was used in 5% BSA at room temperature for 2 hours. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1:200,000 dilution was used for 1 hour at room temperature. Positive control: Lane 1: PC-3 cell lysate Lane 2: MCF-7 cell lysate	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
---	---




Immunohistochemistry-Paraffin: u-Plasminogen Activator/Urokinase Antibody (JM106-09) [NBP2-66766] - Analysis of paraffin-embedded human colon carcinoma tissue using anti-Urokinase antibody. Counter stained with hematoxylin.

Immunohistochemistry-Paraffin: u-Plasminogen Activator/Urokinase Antibody (JM106-09) [NBP2-66766] - Analysis of paraffin-embedded human kidney tissue using anti-Urokinase antibody. Counter stained with hematoxylin.

Immunohistochemistry-Paraffin: u-Plasminogen Activator/Urokinase Antibody (JM106-09) [NBP2-66766] - Analysis of paraffin-embedded human liver carcinoma tissue using anti-Urokinase antibody. Counter stained with hematoxylin.









Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-66766

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP3-21338PEP	u-Plasminogen Activator/Urokinase Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-66766

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

